INSTRUMENTS AND EXPERIMENTAL TECHNIQUES

Volume 19, Numbers 1-6, 1976

(A translation of Pribory i Tekhnika Éksperimenta)

Volume 19, Number 1, Part 1 January-February, 1976

	Engl.	Russ.
Neutron Time-of-Flight Correlation Spectrometers and Their Electronic Circuits (Review) — A. P. Tsitovich	1	7
NUCLEAR EXPERIMENTAL TECHNIQUES		
Comparison Circuit Based on a Tunnel Diode in a System for Stabilizing and Varying the Energy of a Betatron — V. V. Varlamov, B. S. Ishkhanov, Yu. A. Novikov, and I. M. Piskarev	11	17
A Self-Excited Oscillator, Based on a KIU-12 Klystron, Which Has a Short Time Delay of the Microwave-Power Pulse — V. I. Beloglazov and I. A. Grishaev	13	18
A Target with Solid Hydrogen — Yu. V. Gorodkov, G. P. Eliseev, V. A. Lyubimov, and A. S. Mileshkin	15	20
A Target with Solid Deuterium — A. V. Aref'ev and D. A. Suchkov	18	22
Adjustment of an Electron Spectrometer — F. B. Maksyutov and V. L. Kuznetsov	20	24
The 2-m Chamber of the Institute of Theoretical and Experimental Physics with a Neon–Hydrogen Mixture and a Track-Sensing Hydrogen Target — Yu. D. Aleshin, L. L. Gracheva, I. L. Kiselevich, I. A. Mel'nichenko, S. Ya. Nikitin, Y. I. Ryvkin, B. F. Shvartsman, and V. D. Shkarlet	23	26
System for Monitoring the Operation of Valves of the "Skat" Bubble Chamber — I. A. Danil'chenko and I. N. Ivakhnenko	26	28
Certain Causes of the Shift of a Track in a Spark Chamber — G. S. Akopyan, N. Kh. Bostandzhyan, and G. A. Marikyan	29	30
System for Two-Pulse Supply of a Large Streamer Chamber — V. V. Govorov, V. A. Davidenko, B. A. Dolgoshein, V. A. Kantserov, A. N. Lebedev, and S. V. Somov	32	32
A Multichannel Scattering Chamber for Polarization Investigations — Yu. G. Mashkarov and A. S. Deineko	35	35
A High-Speed Fission Ionization Chamber with Radiators Made of ^{235}U — A. A. Bogdzel', Yu. V. Grigor'ev, Z. Dlougi, S. I. Ormandzhiev, and Ts. Panteleev	36	36
Spectrometer for the Leading Edge of Current Signals from Semiconductor Detectors — E. A. Andreev, O. V. Zakharchuk, A. A. Nekrasov, S. P. Sit'ko, and O. P. Fedoseeva	40	39
Procedure for Electronic Collimation of DD Neutrons Using a Ge(Li) Detector — E. A. Andreev, V. K. Basenko, S. P. Sit'ko, and V. I. Strizhak	43	41
A Scintillation Coordinate-Sensing Detector Having a High Time Resolution — V. G. Bondarenko, V. A. Grigor'ev, E. F. Maklyaev, and M. F. Runtso	47	44
The Energy Resolution of a Scintillation Counter Based on a Large NaI(Tl) Crystal — R. O. Avakyan, A. É. Avetisyan, R. A. Bakhshetsyan, G. A. Vartapetyan, S. G. Gindoyan, S. P. Taroyan, L. S. Khurshudyan, G. M. Élbakyan, and R. M. Mirzoyan	50	46
Switch Shaper for a Scintillation Spectrometric Path — B. S. Novisov, A. S. Maksimenko, V. G. Melkikh, D. A. Pulin, and A. I. Kosse	52	48

	Engl.	Russ
Installation for Investigating the Angular Correlation of Annihilation Radiation — Yu. V. Zelenev and A. I. Filip'ev	56	51
A New Mössbauer ^{57}Co Source — M. I. Afanasov, L. A. Kulikov, Yu. D. Perfil'ev, and A. M. Babeshkin	58	53
APPLICATIONS OF COMPUTER ENGINEERING IN EXPERIMENTATION		
The "KSANI" Complex System for the Automation of Scientific Research — D. I. Garibashvili, S. A. Shrabshtein, É. V. Vardidze, A. G. Inashvili, and V. M. Fedorov	60	54
Digital Photometry System for Devices Which Input Photographic Images to an Electronic Computer — M. P. Grishin, Sh. M. Kurbanov, and V. P. Markelov	63	56
Automated Handling of Complex Interferograms — E. I. Koldakova, I. B. Uskov, and S. A. Yanevich	66	59
Two-Dimensional Analysis of Gamma-Gamma Coincidences with Collection of "Useful" Information on Both Parameters — S. I. Ormandzhiev, V. I. Fominykh, M. I. Fominykh, and V. M. Tsupko-Sitnikov	69	61
The Transcriptor for a High-Speed Digital Printing Device — S. I. Babkin, I. V. Koryttsev, Yu. L. Pilipenko, E. G. Proshkin, and Yu. N. Ul'yanov	75	66
ELECTRONICS AND RADIO ENGINEERING		
A Multichannel Analog Device for Monitoring Magnetooptical Elements in Particle Channels — A. A. Gusak and V. S. Kuznetsov	78	69
Device for Leveling the Intensity of Random Flows of Events at the Input of a Multichannel Analyzer — V. V. Danilevich, A. F. Chernyavskii, and A. K. Yakushev	81	72
Device for Leveling Statistically Distributed Pulses — G. I. Il'kanaev, V. G. Iskenderov, O. V. Rudner, and V. S. Teller	85	75
A Seven-Decade Reversing Counter Based on Integrated Circuits Which Have Digital Display — V. A. Tarasov	88	77
Stipulation of Measurement Intervals by the Photon-Count Method — K. N. Bakinovskii, Z. P. Protasevich, and M. Z. Protasevich	92	81
A Scaling Decade with a Vacuum Luminescent Display Tube — A. D. Murinov	95	83
Coincidence Blocks Based on Integrated Circuits — V. F. Boreiko, V. M. Grebenyuk, and V. G. Zinov	97	84
A Converter for Converting an Alternating-Sign Code into a Voltage — A. S. Nagaikin, A. L. Torchin, G. I. Eremina, and A. M. Gordienko	101	87
A Digital-Analog Converter for a Discrete Recording Device — A. N. Sheinin and V. E. Kuznetsov	104	90
Multiplier for Multiplication of the Slope of the Characteristic of an Analog-Frequency Converter — A. P. Bondarev, V. N. Radchenko, and L. A. Timokhin	106	91
A Controllable Microsecond Delay Line for Logical Nanosecond Signals — Yu. M. Valuev, V. M. Grebenyuk, and V. G. Zinov	110	94
Circuit for Shaping Nanosecond Pulses — É. I. Podol'nyi	112	96
Sensitive Shapers Based on Integrated Circuits — V. F. Boreiko, V. M. Grebenyuk, and V. G. Zinov	114	97
Pulse Shapers Having a High Repetition Frequency — F. K. Vaitekunas, Yu. S. Vishnyauskas, and Ch. I. Pavasaris	118	100
The Shaping of Powerful Nanosecond Pulses by Avalanche Thyristors — V. P. D'yakonov	121	102
Limiting the Duration of the Pulse Produced by the Discharge of a Capacitor Bank through a Gas-Discharge Tube — V. N. Budnik and A. V. Reimers	124	105
A Trigatron Spark Gap with a Low Actuation Limit for Alternate Commutation of Pulse Currents — A. N. Danilin, A. Kh. Erukhimov, and I. M. Zarkhi	126	106
A Pulse Generator with a Linearly Varying Amplitude for Determining the Nonlinearity of the Characteristics of a Ge(Li) Spectrometer — A. V. Murzin, A. A. Ostapenko, and V. A. Libman	129	108

	Engl./Russ.	
A Generator Based on Semiconductor Gates, Which Produces Current Pulses Having a Rectangular Shape — L. G. Koshcheev	132	110
A Thyristor Pulse Generator — M. I. Blazhnova, E. D. Denisova, and A. I. Shestakov	135	113
Infra-Low-Frequency Pulse Generators — A. V. Radkevich and Yu. A. Yakovlev	137	115
A Multistage Stable-Frequency Divider Based on Synchronized RC Self-Excited Oscillators — Yu. A. Veideman and P. A. Popov	139	116
Broad-Band Switch Based on Field-Effect Transistors with an Isolated Gate — V. M. Pudalov	141	118
A Switching Phase Detector with Memory — I. A. Ermolenko and M. P. Savchenko	144	120
Circuit for Holding the Zero Value of an Alternating Voltage — Yu. F. Sul'zhenko and A. P. Pinchuk	146	122
A High-Speed Low-Frequency Signal Modulator — I. M. Kol'tsov, V. P. Mikheev, B. S. Rozov, and A. A. Shchurenkov	148	123
Circuit for Automatic Switching of the Limits of Analog Instruments — I. A. Yatsun	150	125

Volume 19, Number 1, Part 2 January-February, 1976

A Universal Spectrometric Preamplifier — N. Ya. Sedov	153	127
An Amplifier with Neutralization of the Input Capacitance — A. É. Érglis and U. V. Yanson	155	129
An Automatic Dielectric Spectrometer — A. S. Polyanskii, L. B. Mashkinov, and L. N. Gal'perin	157	130
The Use of an Autodyne for Measurements in the Meter Range of Wavelengths at Low Temperatures — V. A. Yudin and L. M. Fisher	159	132
A Double-Tuned Nuclear Magnetic Resonance Pickup for a Flowing Liquid — S. S. Semenyuta	161	134
A Nanosecond Source for Pumpling Semiconductor Lasers — O. K. Sklyarov	163	135
A Thyristor Converter for a Powerful Argon Laser — N. A. Verzhbolovich, V. D. Savchenko, and A. Ya. Litvinenko	165	137
A Synchronized Transistorized Current Converter — A. E. Fedorovskii and E. M. Ivanyushkin	168	139
The Use of Thyristor Converters in a Control System for a Microtron — V. M. Aleshin, V. V. Voronin, S. F. Zhulinskii, and A. T. Kudritskii	171	142
An Electrostatic Generator with a Conducting Charge Transporter — L. I. Ryabov, and V. D. Mikhailov	174	144
GENERAL EXPERIMENTAL TECHNIQUES		
A Mass-Spectrometric Installation with a High-Aperture Ratio Ion Source for Investigating Active Particles — E. S. Zhurkin, A. A. Prokof'ev, and Yu. D. Borzakov	178	148
Block For Controlling a Three-Dimensional Quadrupole Mass Spectrometer with Mass-Spectrum Sweep by Means of Frequency Variation — É. P. Sheretov, G. A. Mogil'chenko, V. A. Zenkin, and N. V. Veselkin	181	150
An Electron Gun with Extraction of a Beam Having a Large Cross Section into the Atmosphere — V. I. Fedorov and L. P. Shanturin	184	153
System for Evacuating an Ultrasonic Gas Jet in a Source of Vacuum Ultraviolet Radiation — V. P. Strel'nikov	187	155
A Circulation Neon Purification System for Spark Chambers — V. V. Bakaev, N. I. Balandikov, Yu. V. Kulikov, G. P. Nikolaevskii, V. T. Parshutov, and S. N. Playashkevich	190	157
A Compact High-Vacuum Inlet for Rotational Motion — Yu. A. Benediktov and B. A. Zakalov	192	159
The Infrared FÉU-83 Photomultiplier in a Photon-Count Regime — Ya. É. Kariss, A. R. Kangro, and M. A. Élert	194	160
Investigation and Improvement of the Characteristics of a Channel Electron Multiplier — S. S. Kozlovskii, Yu. S. Korobochko, and V. I. Mineev	196	162
Determination of the Gain of Channel Electron Multipliers Having an Exponential Amplitude Distribution of the Charge at the Output — B. V. Mar'in and M. V. Tel'tsov	199	164
A Three-Wave Helium—Neon Laser — V. A. Balakin, L. P. Konovalov, A. I. Popov, E. D. Protsenko, and Yu. F. Skachkov	202	165

	Engl./Russ.	
The Use of Frequency-Tunable CO_2 Lasers for Measurement of the Characteristics of Photoreceivers — L. A. Bovina, P. A. Bykov, V. P. Epifanov, Yu. V. Kuznetsov, G. S. Mikhailova, L. M. Pavlova, and A. N. Sviridov	204	167
Measurement of the Polarization of Low-Intensity Light Fluxes in a Photon-Count Regime — A. P. Balatsyuk, V. A. Novikov, and V. G. Fleisher	208	171
A Focusing Prism Raster — A. Z. Grasyuk, V. F. Efimkov, and V. G. Smirnov	212	174
Reduction of Optical Radiation by Means of Nematic Liquid Crystals — V. L. Kalinovskii, L. D. Samodurova, and A. S. Sonin	214	176
A Cesium Quantum Magnetometer with a Superconducting Shield — B. A. Andrianov, I. E. Grin'ko, A. F. Lukoshin, L. V. Sidorkina, and V. L. Sheremet	217	178
A Double Magnetic Suspension for Ferromagnetic Rotors — V. M. Ponizovskii	220	181
Measurement of the Viscosity of Media by Means of Shear Vibrations of Plane Piezoresonators — A. P. Borovikov	223	184
A Subnanosecond Stroboscopic Transilluminating Electron Microscope — V. V. Golubkov, O. S. Kolotov, V. I. Petrov, G. V. Spivak, and R. V. Telesnin	225	185
Correction of Electron-Microscope Images by Means of Holographic Filters — I. F. Anaskin, E. V. Ageev, P. A. Stoyanov, and V. V. Moseev	228	188
A Manipulator for an Electron-Diffraction Camera — Yu. A. Benediktov and L. K. Olonov	231	190
Selection of the Parameters of Kinematic Photographing for Recording Fast Processes — A. T. Pugachev and Yu. A. Volkov	233	192
A Three-Crystal X-Ray Spectrometer for the Investigation of the Structural Perfection of Real Crystals — M. V. Koval'chuk, É. K. Kov'ev, Yu. M. Kozelikhin, A. V. Mirenskii, and Yu. N. Shilin	236	194
X-Ray-Diffractometric Procedure for Investigating Thin Junction Structures — A. G. Tur'yanskii	239	197
Improvement of the Optical Alignment of a Crystal Analyzer for X-Ray Spectral Investigations — O. M. Pokolenko	242	199
Use of Fluorescence in the Spectrometry of Pulsed X-Radiation — G. M. Gorbachenko, S. A. Zverev, and V. K. Lyapidevskii	244	200
Use of Secondary-Electron Multipliers as Detectors of Ultrasoft Radiation in X-Ray Microanalyzers — A. I. Kozlenkov, Yu. I. Belov, and V. G. Bogdanov	247	202
A Simple Calorimeter for Measuring the Dose of Powerful Pulsed X-Ray Installations — N. I. Zavada and V. A. Tsukerman	251	205
A High-Temperature Cahmber for Investigating the Structure of Alloys by Means of the Mössbauer Effect — N. A. Tomashevskii	253	207
Method for Determining the Position of Microplasma in High-Voltage p—n Junctions — I. N. Magden and V. A. Safonov	255	209
Measurement of the Refractive Index at the Submillimeter Wavelength — V. V. Meriakri and E. E. Chigryai	257	210
Instrument for Measuring the Space Distribution of Impurities in the Near-Contact Region of Schottky Diodes — B. A. Kotov, M. S. Yunusov, and U. A. Shakirov	260	212
Measurement of the Distribution of the Ionization Density over the Depth of a Dielectric for Pulsed Irradiation by an Electrom Beam — D. I. Vaisburd and É. G. Tavanov	264	215
Combined Method for Measuring the Contact Potential Difference and Surface Conductivity — V. G. Litovchenko, V. S. Lysenko, V. A. Novominskii, and V. I. Turchanikov	267	217
An Ellipsometric Installation for Investigating the Kinetics of Physicochemical Processes on the Surface of Semiconductors in a Reactor — D. I. Bilenko, A. A. Grigor'ev, B. A. Dvorkin	271	220
Vessels for Liquid Scintillation Beta Spectrometers — R. A. Rayamyaé and Ya.-M. K. Punning	273	222
The Process of Making Barium Fluoride and Calcium Fluoride Windows Vacuum Tight — L. P. Shishatskaya	275	224
A Version of the Projection Method for Laser Machining of Thin Films — R. N. Anisimova, A. G. Kamenskii, G. R. Levinson, A. N. Sviridov, and V. I. Smilga	277	225
A Precision Two-Coordinate One-Mirror Scanning Device — V. L. Mamaev and B. S. Rozov	279	227

A Highly Sensitive Pd + Cr + Ru/AuFe Thermocouple for Measurement of Temperatures in the 2-200°K Range — V. M. Beilin, L. A. Medvedeva, I. L. Rogel'berg, T. F. Tarasova ... 282 229

REVIEWS OF INSTRUMENTS

An Attachment to the UR-20 Spectrophotometer for Handling Experimental Data by Means of an Electronic Computer — V. B. Borisova, S. Kh. Akopyan, N. G. Bakhshiev, and A. M. Shevyakov ... 284 231

Simultaneous Recording of Data on an ÉUM-23 Typewriter and a PL20-2 Puncher — Yu. N. Nazarov ... 286 232

A Device for Matching the Output of a Digital Instrument to a Teletype Unit — V. G. Grinev ... 288 233

A Block for Electronic Digital Sweep of a Magnetic Field for Microwave Electron Paramagnetic Resonance Spectrometers — S. A. Denisov ... 291 235

A Digital Integrator for a Pulsed Nuclear Magnetic Resonance Spectrometer — V. D. Shchepkin, R. A. Dautov, and V. M. Vinokurov ... 294 238

Improving the F4354/1 Tesla-Ammeter for the Investigation of Constant Magnetic Fields — V. O. Kartashyan, A. P. Nesterenko, E. V. Bychkov, and M. V. Zagirnyak ... 296 239

A Vaporizer with Electron Bombardment for the UVN-71R-3 Installation — V. Yu. Yakovchuk, M. G. Mal'bin, and O. P. Pavlyuchenko ... 298 241

An Attachment for Photometry of Electron Diffraction Patterns of Molecules on the IFO-451 Microphotometer — G. I. Lichadeev and E. A. Romanenko ... 300 242

NEW INSTRUMENTS

A Transistorized Mixer for Broadening the Frequency Range of Microwave Instruments — S. V. Melikhov and G. I. Shaikin ... 302 243

An Ultrabroadband Electrically Controllable Attenuator — V. N. Il'yushenko ... 303 244

Instrument for Measuring Current by the Contactless Method — Yu. A. Bystrov, R. L. Semenov, and M. M. Sergeeva ... 303 244

A Tunable Active RC-Filter — E. I. Kuflevskii, A. I. Kalyakin, V. D. Gura, V. P. Tepin, and S. F. Bondar' ... 304 245

A Pulsed Curve Tracer for Gunn Diodes — K. K. Utkin and A. S. Tokarev ... 304 245

Generator Producing Rectangular Bipolar Voltage Pulses for Electrochemical Excitation of Electron Levels in Organic Compounds — N. A. Nemkovich, V. I. Tomin, V. A. Zhivnov, L. V. Tatarintsev, and A. V. Sokolov ... 305 246

A Generator Producing Rectangular Pulses for Pumping Injection Semiconductor Laser Oscillators — S. V. Kusurgashev ... 306 246

A Microwave Optical-Radiation Modulator — A. A. Solomko and V. S. Sidorenko ... 306 247

A Spectrum Analyzer for the Radiation from an Optical Laser Oscillator — A. S. Osipov, Yu. P. Maiboroda, G. A. Ponomarev, L. K. Popova, N. N. Kireev, V. A. Levada, and V. P. Vasilets ... 307 247

Volume 19, Number 2, Part 1 March-April, 1976

Glass Track Detectors (review) — V. A. Nikolaev and V. P. Perelygin ... 309 7

NUCLEAR EXPERIMENTAL TECHNIQUES

A Linear Electron Accelerator for a Split Microtron — V. I. Alekseev, K. A. Belovintsev, V. A. Boiko, R. M. Voronkov, V. A. Danilichev, A. I. Karev, and V. G. Kurakin ... 321 18

A High-Perveance Electron-Optic System with Electron-Energy Recuperation — G. I. Dolgachev, I. N. Slivkov, and P. I. Blinov ... 324 20

Concerning the Possibility of Using Quadrupoles with Permanent Magnets in Linear High-Energy Proton Accelerators — B. P. Murin, V. I. Rogachev, and A. P. Fedotov ... 327 22

The π Meson Channel of the Synchrocyclotron at the Leningrad Institute of Nuclear Physics, Academy of Sciences of the USSR, Leningrad — V. A. Gordeev, A. B. Gridnev, V. P. Koptev, S. P. Kruglov, L. A. Kuz'min, and I. V. Lopatin ... 330 25

A Device for Irradiating a Low-Temperature Target with Ions — V. I. Pogodin, D. D. Prokof'ev, and S. I. Tsypkin ... 332 26

	Engl.	Russ.
AN e −α Coincidence Spectrometer − L. A. Popeko, G. A. Petrov, Yu. P. Rudnev, and E. F. Kochubei	334	28
A Shower Spectrometer with a Combined Radiator − S. A. Akimenko, V. I. Belousov, A. M. Blik, A. A. Varfolomeev, V. I. Glebov, É. I. Denisov, S. N. Zaitsev, V. M. Kut'in, and A. S. Khlebnikov	337	30
Comparison of the Results of Automatic and Semiautomatic Handling of Photographs Taken from the 1.5-Meter Spectrometer at the Institute of Theoretical and Experimental Physics − V. I. Efremenko, Yu. M. Zaitsev, I. M. Lipkin, M. A. Ol'shanetskii, D. A. Suchkov, and B. A. Fominykh	339	32
A Resonance Filter Made of Defect Tin Dioxide for Mössbauer Spectroscopy − V. A. Varnek, E. G. Avvakumov, and L. N. Mazalov	343	35
System for Stabilization of a Scintillation Radiometric Path − V. I. Breido, A. A. Kolobov, and L. R. Romanov	346	37
Bistilbenes Used as Mixers of the Luminescent Spectra of Plastic Scintillators − L. S. Bagdasaryan, A. A. Tashchyan, S. A. Vartanyan, and D. A. Tovmasyan	350	40
Effect of Radiation Loading on the Characteristics of Proportional Counters − A. A. Vaigachev, E. F. Klyukvina, S. Yu. Puzyrev, and K. I. Shchekin	353	42
Optimal Characteristics of a Proportional Counter for Recording Cosmic X Radiation in the 2-25 keV Range − D. A. Goganov, V. F. Korolev, B. S. Lozinskii, V. A. Sklyankin, and E. K. Sheffer	355	43
APPLICATIONS OF COMPUTER ENGINEERING IN EXPERIMENTATION		
Organization of a System in the CAMAC Standard for Reading Information from Various Groups of Blocks − N. I. Zhuravlev, A. G. Petrov, V. T. Sidorov, A. N. Sinaev, and I. N. Churin	359	47
A Crate Monitor in Standard CAMAC for Communication with a TPA-1 Electronic Computer via a Programming Channel − Nguyen Viet Sung, Nguyen Min Cao, Nguyen Phuc, Nguyen Hac Thi, and O. K. Nefed'ev	363	50
A Pulsed Analog-Digital Converter in the CAMAC Standard − A. S. Trofimov and L. P. Chelnokov	367	54
A Multiplier Device Based on a Field-Effect Transistor − B. N. Igumnov, R. A. Kamliya, G. M. Manlov, and V. S. Rudenko	369	56
A Time Interval-to-Digital Code Converter Based on Integrated Circuits − Yu. M. Valuev, V. M. Grebenyuk, and V. G. Zinov	371	57
A High-Speed Voltage-Code Converter − G. I. Gotlib and V. Ya. Zagurskii	375	61
A CAMAC Block for Controlling the High-Voltage Supply of a Photoelectron Multiplier − L. Kollar, L. Kollarova, and P. Horvath	377	63
ELECTRONICS AND RADIO ENGINEERING		
A Multiple-Input Reversing Pulse Counter − V. M. Vedernikov, V. P. Kir'yanov, and M. A. Koksharov	379	65
A Device for Reversing Pulse Counts − M. I. Al'kaev, V. M. Vedernikov, and A. M. Shcherbachenko	382	67
A Thyristor Counter with an Increased Speed of Response − V. A. Pilui	385	69
A Fast Coincidence Circuit − V. G. Demenkov and V. S. Nesterenko	387	70
A Nanosecond Rectangular-Pulse Shaper − A. S. Bryukhanov, A. I. Boriski, V. N. Grib, V. M. Eremenko, I. N. Lifar, and A. M. Moskalenko	390	72
Amplitude Limiters and Threshold Devices Based on Integrated Microcircuits − V. P. D'yakonov	393	75
A Linear Voltage-Frequency Converter − V. A. Klynin, Yu. N. Tikhonov, and V. N. Korneev	397	78
An Integrating Quasisweeping Voltage-to-Time Interval Converter — V.G. Ovchinnikov, A. A. Zhurin, and É. K. Shakhov	400	80
A Relay Signal Converter with Cyclical Correction of the Drift Parameters − G. V. Suvorov, V. G. Maurer, and L. I. Tsytovich	404	83

	Engl.	Russ.
A High-Speed Phase-Voltage Converter — V. B. Lazarev	407	85
A Functional Analog-Digital Converter Based on Integrated Microcircuits — I. M. Abdullaev and R. M. Akhmedov	410	87
A Generator Producing High-Voltage Trapezoidal Voltage Pulses with a Controllable Leading-Edge Slope — A. A. Berezin, G. A. Raikhtsaum, Yu. A. Ryabichev, A. N. Smirnov and V. V. Togatov	413	89
A Multichannel High-Voltage Nanosecond-Pulse Generator — E. V. Zotov and G. B. Krasovskii	416	91
A High-Speed High-Voltage-Pulse Generator Having Efficient Irradiation of the Spark Gap — I. K. Zhankov	419	93
A High-Power Thyristor Rectangular-Pulse Generator — A. A. Berezin, G. A. Raikhtsaum, and A. N. Smirnov	421	94
A Compact Powerful-Pulse Generator — G. V. Razorenov, F. A. Vas'kovskii, R. M. Grechishkin, and A. A. Lukin	424	96
A Module for Linear Automatic Charging of a Capacitive Device for Storing Two Megajoules of Electrical Energy — G. I. Evstratov and L. N. Plyashkevich	426	97
Stabilization of the Time Characteristics of an Arkad'ev—Marx Generator — I. Yu. Antipov, Yu. V. Kuznetsov, E. V. Lazutin, I. M. Piskarev, V. A. Khrushchev, and A. V. Shumakov.	429	99
A Two-Channel Rectangular-Pulse Generator Based on Tubes Having Secondary Emission — V. M. Rysakov and Yu. V. Aristov	432	100
A Broadband Self-Oscillatory Multivibrator Based on Integrated Transistor—Transistor-Logic Microcircuits — V. P. D'yakonov	435	103
A High-Voltage DC Amplifier — V. V. Kruglov	440	106
A High-Voltage DC Amplifier Stage — M. B. Leitman and V. V. Kruglov	443	108
A Linear Thyristor Amplifier with a Low Level of Commutation Interference — V. I. Zametin	446	110
A Linear Thyristor Amplifier for Temperature Controllers — V. I. Zametin	451	113
A Linear Amplifier Based on a Thyristor Optron — G. V. Zusman and S. S. Ustinov	455	116
Preamplifier for an X-Ray Spectrometer — N. Ya. Sedov	457	117
High-Speed Analog Commutator Based on Integrated Microcircuits — L. A. Kondrat'ev, I. K. Krylov, and V. N. Kuleshov	461	120
Diode Radio-Signal Switch with Electronic Control — V. V. Bailov, V. B. Kargopolov, and V. V. Nazarov	464	122
Broadband Compressor of the Dynamics of a Harmonic Signal Which Has a Low Amplitude-Phase Error — A. M. Fishtein	467	124
An Automatically Controllable Variable Resistance — A. E. Patrakhin	469	126

Volume 19, Number 2, Part 2 March-April, 1976

ELECTRONICS AND RADIO ENGINEERING

	Engl.	Russ.
Use of a Synchronous Filter to Reconstruct the Shape of a Signal from Its Derivative — N. N. Vorsin and L. A. Orlov	471	127
Installation with a Powerful, Relativistic Electron Beam of Microsecond Duration for Obtaining Microwave Oscillations — Yu. V. Tkach, Ya. B. Fainberg, N. P. Gadetskii, E. A. Lemberg, V. V. Dyatlova, A. V. Sidel'nikova, and V. A. Bondarenko	473	129
Meter for Measuring the Carrier Frequency of Single Ultrahigh-Frequency Pulses — V. I. Zelentsov, A. S. Sulakshin, and N. P. Fedorov	476	132
Use of the Contacts between a Metallic Probe and Germanium to Measure Ultrahigh-Frequency Power — Yu. A. Abramyan and R. G. Simonyan	478	133
Installation for Polarization Measurements in the Submillimeter Range — V. B. Lazarev and É. A. Tishchenko	480	135
Recorder for Recording a Random-Pulse Sequence of Weak Optical Radiation — V. S. Dugin, I. N. Matveev, S. M. Pshenichnikov, N. P. Sopina, and A. F. Umnov	482	137
Electronic Block for Controlling the Moving System of a Three-Channel Nuclear Gamma-Resonance Spectrometer with Constant-Velocity Feedback — N. G. Ivoilov	485	139

	Engl.	Russ.
Television Analyzer for Analyzing Interphase Boundaries — L. I. Skorobogat	487	141
Optical Data-Transmission System for Accelerator-Element Control — S. T. Latushkin, V. A. Rezvov, and L. I. Yudin	490	143
Economical Voltage Regulator for Spatially Distributed Electronic Systems — N. I. Zheludkov, V. A. Kareev, and V. V. Meer	492	146
Control System for Electromagnet Field — I. L. Zaitsevskii, Yu. A. Tkhorik, and Yu. M. Shvarts	494	147
GENERAL EXPERIMENTAL TECHNIQUES		
A Procedure for Investigating the Statistics of Field Emission — M. M. Mokhasne, V. S. Ponomarev, N. V. Egorov, G. N. Fursei, and V. N. Shchemelev	496	150
Photomultipliers with High Time Resolution and High Output Current — A. G. Berkovskii, A. I. Veretennikov, V. G. Gusel'nikov, Yu. I. Gubanov, and A. N. Sushchenko	498	152
Circuit for Automatic Recording of Multiplier Phototube Pulse-Amplitude Distribution with Dark Current Excluded — O. M. Sorokin	501	155
Ruby Laser Radiating Microsecond Pulses — V. V. Arsen'ev, I. N. Matveev, Yu. V. Prichko, and A. N. Stepanov	504	158
Output-Power Stabilization and Discharge-Parameter Optimization for an Argon Laser — O. A. Aktsipetrov, G. M. Georgiev, A. G. Mikhailovskii, and A. N. Penin	506	160
Pulsed CO_2 Laser with Transverse Discharge — V. T. Galochkin, S. I. Zavorotnyi, V. N. Kosinov, and A. A. Ovchinnikov	508	161
High-Temperature Transverse-Discharge Laser Cell — S. A. Kochubei, V. N. Lisitsyn, V. M. Lunin, and P. L. Chapovskii	510	163
Controlling Time of Appearance of Giant Pulses in a Laser with Passive Switch Made of KS-19 Glass — S. A. Mikhnov, L. S. Korochkin, and I. P. Shakhlai	511	164
Measuring the Distribution of Radiation Intensity in the Cross Section of a Laser Beam — V. I. Bukatyi, N. I. Mishchenko, S. M. Slobodyan, and D. P. Chaporov	513	166
Distortions in Spatial Distribution of the Radiation Field of a He + Ne Laser with Multilayer Dielectric Mirrors — D. A. Kozyrev, P. V. Korolenko, and N. É. Sarkarov	515	168
Encapsulated Solid-State Laser Based on a Type-IMA Tube — N. V. Belkin, O. V. Bogdankevich, V. A. Kovalenko, I. V. Kryukova, N. G. Pavlovskaya, B. M. Stepanov, K. A. Kharietdinov, V. A. Tsukerman, and S. L. Él'yash	515	170
Compact 1.06-μ Laser-Radiation Simulator — P. V. Dernovskii, M. N. Zargar'yants, and A. I. Ignatov	519	172
Stable Gallium Phosphide Source of Green Light — Yu. L. Il'in, K. M. Kolesov, I. V. Kryukova, A. N. Pikhtin, V. S. Sorokin, V. M. Tarasov, I. G. Fedorova, and E. S. Shabaev	522	175
Source of Intensity-Modulated Vacuum Ultraviolet Radiation — Yu. P. Udoev	525	177
Using Semiconductor Films with Anomalous Photovoltages to Record Laser Radiation — U. A. Arifov, A. Kh. Ayukhanov, N. Abdullaev, and M. S. Arifdzhanova	526	179
Laser Method for Determining Shock-Wave Velocity — N. S. Belokrinitskii, V. N. Bereza, B. D. Bobkov, and L. A. Kernazhitskii	528	181
Unit for Spectroscopic Investigation of Solids by the Oscillographic Delayed-Coincidence Method — T. T. Basiev	530	182
Time Resolution of Optical Lenses for Investigation of Subpicosecond Processes — E. M. Gordeev and S. D. Fanchenko	533	185
Stabilized Photoreceiver Unit — V. P. Klimashin, V. A. Kudryashov, I. N. Matveev, and S. E. Sebko	535	187
Infrared Compensation Phasemeter — V. M. Artemov, Zh. Zhelkobaev, V. V. Kalendin, V. I. Kukhtevich, R. I. Mukhtarov, and V. I. Prygunov	537	188
High-Frequency Tuned Scanning Device Using Torsional Vibrations — I. L. Kuznetsov and L. B. Sokolova	540	191
Test Machine for Determining Deformation Characteristics of Fiber Specimens in Tension — A. F. Mel'shanov	543	194
Unit for Measuring Gas Flow Rate by the Multiple Electric Breakdown Method — P. I. Bogdanov, P. G. Zykov, and P. E. Suetin	544	195

141	"Kvant-60" Miniture Pulsed X-Ray Unit — É. A. Avilov, É.-G. V. Aleksandrovich, N. V. Belkin, V. V. Bogolyubov, and M. Yu. Tarakanov	546	197
143	Using an Electron Microprobe to Determine the Diffusion Length of Minority Carriers in Semiconductors — A. B. Ormont	548	199
146 147	Thermal Sensitivity of Gallium Antimonide Doped with Cadmium, Zinc, Selenium, and Tellurium — A. V. Sandulova, Yu. A. Okhrimenko, V. M. Rybak, and V. P. Goncharov	551	201
	Simple Method for Monitoring the Ohmic Nature of Metal—Semiconductor Contacts — I. B. Gulyaev and A. G. Zhdan	553	203
150	LABORATORY TECHNIQUES		
152	Taking the Readings of a Mercury Manometer by Means of a Capacitive Sensor — S. I. Solov'ev and Yu. N. Lyzlov	555	205
155	Capillary Piezometer with Opticomechanical Readout — A. P. Miroshnikov and V. N. Razumikhin	556	206
158	Nonphotosensitive Conducting Substrate for Thin-Layer Photoemitters — G. A. Katrich, V. S. Samoilov, and A. P. Ostranitsa	558	208
	A Liquid Variable Resistance — A. F. Kivshik, V. I. Kosinov, and B. I. Lagutin	560	209
160	Measuring Low Voltages in a dc Circuit — G. I. Kulesko	562	211
161	Film Strain Resistor for Temperatures up to 1000°C — Yu. A. Gusev, A. V. Oleinik, and A. Ya. Anikin	564	213
	Water-Cooling System Fluid Relay Responding to Fluid Flow Rate — E. A. Kolenko	566	215
163	Cryostat for Electron Irradiation of Crystals and Optical Investigations — B. V. Novikov, G. V. Benemanskaya, and A. E. Cherednichenko	567	216
164	Growing Filamentary Antimony Crystals — Yu. P. Gaidukov, E. M. Golyamina and N. P. Danilova	569	217
166	Photoelectric Pyrometer for Measuring Temperature Gradients in the Growing of Silicon Crystals — V. V. Kamarali, A. I. Buzunov, S. A. Muravitskii, A. P. Vorob'ev, and V. P. Tikhonov	570	218
168	Simple-Precision Proportional Temperature Regulator — N. F. Shchukin, Yu. V. Valdokhin, and E. É. Gaubman	572	220
	Iron—Nickel Film Thermocouple — M. G. Mal'bin, O. P. Pavlyuchenko, and V. Yu. Yakovchuk	574	221
170	Cold Thermal Probe — B. P. Kashnikov	575	222
172	REVIEWS OF INSTRUMENTS		
175 177	Modification of the MKh1303 Mass Spectrometer for Operation in the Chemical-Ionization Regime — A. A. Solov'ev, V. I. Kadentsev, O. S. Chizhov, D. I. Bel'kind, and A. G. Savel'ev	576	223
179	Three-Electrode Autoionization Gun of Ion Field Source for the MKh1303 Mass Spectrometer — V. B. Labintsev, N. N. Grishin, and A. A. Petrov	579	226
	Improving the VUP-2K Vacuum Station — V. E. Obukhov and N. K. Zherebilo	582	229
181	Study of the Linearity of Multiplier Phototubes in the Pulsed Mode Using a GaAs Injection Laser — A. F. Kotyuk, S. V. Tikhomirov, N. P. Khatyrev, A. A. Chernoyarskii, and V. A. Yakovlev	584	231
182	Multiple-Transmission Attachment for a DFS-12 Raman-Scattering Spectrometer — T. P. Eremeeva and I. A. Vorsina	587	234
185	Controllable Luminous-Flux Regulator for KIM-9-75 Source — V. V. Larin	588	235
187	Broadband Frequency Multiplier for a Type KM-2 Quantum Magnetometer Using Optical Pumping — Yu. A. Yamshanov and S. N. Pogorskii	589	236
188	Regulated Current Source Based on Industrial Thyristor Converters — V. D. Dvornikov, S. T. Latushkin, V. A. Rezvov, L. I. Yudin, and A. K. Ginzburg	591	238
191	NEW INSTRUMENTS		
194	Eight-Channel Oscillograph for Recording One-Shot Processes — E. É. Goller, A. Ya. Sidorin, V. N. Avakova, V. A. Erofeev, A. V. Bazhanov, G. K. Goryunova, and T. S. Persidskaya	593	240
195	Multichannel Spectral Analyzer for the 1-300-kHz Frequency Range — V. A. Pis'menetskii, N. V. Sobol', I. S. Savchenko, V. A. Khorunzhii, E. E. Tsytko, and O. V. Yashkov	594	241

	Engl.	Russ.
Statistical Time-Interval Analyzer with Visual Display – O. K. Belyaev, T. D. Gavra, and I. A. Ermolenko	595	242
Low- and Extra-Low-Frequency Noise Generator – E. I. Dikun	595	243
Synchronous-Detection Unit – V. S. Sosnovskii	596	243
Integrating Digital Voltmeter – A. A. Zhurin and V. G. Ovchinnikov	596	244
Gain and Standing-Wave-Ratio Meter – O. V. Ryzhko	597	244
Digital Meter for Parameters of Four-Port Amplitude–Frequency Response – V. A. Kon'kov, A. B. Kazarinov, E. K. Levin, and A. D. Pozdnyakov	597	245
Capacitance–Voltage Characteristics Gauge – A. A. Grebennikov and Yu. G. Sukharev	598	245
Nanosecond Recorder of Radiation at the 10.6-μ Wavelength – L. M. Pakhomov	599	246
Type UF-90 PTs Ultrasound Transmission-Time Meter – M. V. Korolev, O. G. Galkin, and V. V. Uryvaev	599	246
URVT-2000 High-Temperature X-Ray Unit	600	247
Temperature-Measurement Diode – L. P. Ivanov, M. E. Korenman, V. G. Lakhtikova, G. L. Prikhod'ko, and S. S. Khludkov	601	247

Volume 19, Number 3, Part 1 May-June, 1976

Pyroelectric Radiation Receivers (review) – L. S. Kremenchugskii and O. V. Roitsina	603	7
NUCLEAR EXPERIMENTAL TECHNIQUES		
Accelerating Resonators for Proton Synchrotrons Having a Short Acceleration Time – V. G. Abdul'manov, V. L. Auslender, and A. D. Panfilov	622	24
Thyristor Modulator of an Arc Cyclotron-Ion Source – S. T. Latushkin, V. A. Rezvov, V. A. Tret'yak, and L. I. Yudin	625	27
Investigation of an Ultrahigh-Frequency Microtron System with a Ferrite Gate – S. F. Zhulinskii	627	28
Pulsed Plasma Electron Source – F. P. Demidov and A. M. Chestnov	629	30
Ferromagnetic Gates for Ultracold Neutrons – Yu. N. Pokotilovskii, Yu. V. Taran, and F. L. Shapiro	631	32
Fabrication of Mylar Caps for the Working Cavities of Liquid-Hydrogen Targets – L. M. Vasil'ev, Yu. P. Dmitrevskii, Yu. M. Mel'nik, and A. E. Yakutin	634	35
Sectioned Faraday Cylinder – G. E. Remnev and Yu. P. Usov	637	37
Measurements of the Energy Spectrum of High-Current Electron Beams – E. G. Krastelev, G. O. Meskhi, and B. N. Yablokov	639	39
Range–Time-of-Flight Spectrometer for Multiply Charged Ions – V. M. Bystritskii, A. G. Sterligov, and Yu. N. Usov	643	42
Mechanical Interrupter–Monochromator with Changeable Rotors – V. S. Bondarevskii, I. V. Naumov, I. P. Sadikov, and A. A. Chernyshov	646	44
Cerenkov Shower Gamma Spectrometer – B. I. Shramenko, V. I. Kulibaba, G. L. Bochek, T. I. Darvoid, I. S. Lisitskii, and E. G. Morozov	648	46
Multisection Graphite Calorimeter – N. I. Gaponenko, I. I. Magda, S. S. Pushkarev, and G. V. Skachek	650	47
Measurements of the Field of Captured Gamma Quanta from an Organic Scintillator When It Is Irradiated by Fast Neutrons – V. Ya. Averchenkov, Yu. Ya. Nefedov, and Yu. V. Khilkov	652	49
Determination of the Efficiency of Ring Scintillation Detectors – V. M. Kuznetsov, A. P. Potylitsyn, G. N. Petlin, and O. I. Stukov	655	52
Certain Peculiarities of the Treatment and Application of Plastic Track Detectors – Yu. F. Gagarin and N. S. Ivanova	657	53
Use of Semiconductor Detectors for Dosimetry in Intense Gamma-Neutron Fields – E. A. Kramer-Ageev and A. G. Parkhomov	660	56

EXPERIMENTAL APPLICATION OF COMPUTER ENGINEERING

CAMAC-Standard Device for Read Out of Information from Ferrite Matrices of Wire Spark Chambers—N. I. Zhuravlev and A. N. Sinaev 663 58

System for Read Out of Information from Wire Spark Chambers Having Ferrite Rings in the CAMAC—VECTOR Standard—V. I. Ryskin, Yu. A. Semenov, E. A. Sergievskii, V. N. Chadakov, and V. B. Shvachkin 667 61

Modules for Organization of the Branch of a Universal Branch Driver in the CAMAC Standard—Nguyen Phuc, V. A. Smirnov, and E. Khmelevski 671 65

Control Module and Priority-Stipulation Module for a Universal Branch Driver in the CAMAC Standard—Nguyen Phuc and V. A. Smirnov 674 67

Binary-Decimal Reversing Counter in the CAMAC Standard—Nguyen Phuc and E. Khmelevski 680 72

Modulus of a Source for Controlling a Universal Driver in the CAMAC Standard from an EC-1010 Electronic Computer—Nguyen Viet Sung, Nguyen Phuc V. A. Smirnov, and E. V. Chernykh 683 74

Exchange-of-Information Files with an M-6000 or HP-2116 Electronic Computer by Means of a Monitor in the CAMAC Standard—V. T. Sidorov, A. N. Sinaev, and I. N. Churin 686 77

Dynamic Memory—Z. M. Berdichevskii and V. I. Kaikov 690 80

System for Acquisition and Handling of Data from a Multichannel Stroboscopic Signal-Shape Analyzer—M. I. Demchuk and V. N. Khaiminov 692 82

System of Dynamic Analog-Memory Elements—V. I. Gubskii and I. A. Malevich 697 86

Device for Sampling and Storage of the Instantaneous Values of an Analog Signal—V. I. Sobolev, V. I. Lachugin, and V. V. Kalugin 701 90

Network for Input of Information to the Mir-1 Electronic Computer—A. P. Vetrov. 703 92

Interfacing an Automatic Microdensitometer with the Electronic Computer Élektronika-100—M. P. Grishin, Sh. M. Kurbanov, and V. P. Markelov 707 95

ELECTRONICS AND RADIO ENGINEERING

Nanosecond-Range Time—Amplitude Converter—V. M. Kuznetsov, G. N. Petlin, and V. K. Tomchakov 711 98

Analog Converter of Short Time Intervals Based on Integrated Circuits—A. I. Klimov and E. A. Meleshko 713 100

Thousand-Fold Linear Pulse-Duration Converter—S. V. Shtolin 716 103

Simple Time Expander—Yu. V. Malovichko 718 104

Pulsed Frequency Multiplier for Multiplication by a Fractional Factor—B. G. Kozlov 719 106

Analog Division Circuit for Semiconductor Position Detectors—Yu. S. Volodyagin, M. A. Guner, V. F. Kleimenov, Yu. N. Koblik, V. N. Kudryavtsev, and B. S. Mazitov 721 107

Controllable Nanosecond-Range Delay Line with Low Zero and Dead Times—F. L. Gerchikov, V. D. Kosarev, V. P. Mukhin and V. M. Bogdanov 724 109

High-Speed Commutator and Preamplifier for Measurement of the Charges of Storage Capacitors—E. G. Krastelev 726 111

Contactless Current Sensor—L. I. Volgin and A. T. Matchak 728 113

Linear Gating and Memory Device Based on 1UT401B Operational Amplifiers—V. G. Zinov and S. I. Ormandzhiev 730 115

Linear Gates for the Microsecond Range—A. I. Dobretsov and Yu. A. Tuflin 733 117

Intermediate-Frequency Amplifier with Fast Recovery—S. M. Cheremisin 735 118

Amplifier Having a Wide Range of Variation of Input-Signal Amplitude—V. A. Orlov 736 120

Broadband Sum-Difference Amplifier—S. E. Sebko and Yu. N. Seryakov 738 121

Transistorized Audio-Frequency Amplifier with Compensation of Intrinsic Noise—G. E. Leont'ev and V. P. Palenskis 740 123

Effect of Low Temperature on the Noise Parameters of Channel Transistors—N. I. Ivanov and K. B. Lobanov 742 124

Source Follower Having a Wide Dynamic Range – V. A. Shul'gin 743 126
Stable Electrometric Preamplifier – G. V. Basalaev and I. A. Yatsun 744 127
Broadband High-Frequency Oscillator – M. A. Pushkina and M. E. Slutskin 747 129
Noise-Pulse Generator for Nuclear Magnetic Resonance (NMR) Measurements of Self-Diffusion According to the Pulsed-Gradient Method – V. D. Skirda, A. G. Stezhko, and G. G. Pimenov 750 131
Generator for Producing High-Voltage Pulses with Multicable Separation – A. I. Pavlovskii, G. D. Kuleshov, A. I. Gerasimov, A. P. Klement'ev, and D. N. Miloradov 753 134
Five-Hundred-kV Multichannel Controlled Ring Spark Gap – B. A. Afanas'ev, A. I. Gerasimov, G. D. Kuleshov, A. I. Pavlovskii, V. A. Tananakin, and V. P. Tsiberev 755 136
High-Voltage Nanosecond-Pulse Generator Having Symmetrical Output – B. N. Grishanov, A. P. Lysenko, and E. N. Kharitonov 758 138
Special Features of the Operation of Powerful Pulsed Thyratrons and Characteristics of TGI1-2500/50 in the Nanosecond Range – V. A. Vizir', N. A. Lashuk, R. A. Meshcherov, and V. P. Orel 761 140
Fast-Response Pulse-Voltage Generator Having Large Capacitance – I. K. Zhankov 764 142

Volume 19, Number 3, Part 2 May-June, 1976

Obtaining Pulses Having a Rectangular Shape in Magnetothyristor Shapers – A. I. Dubnev, I. G. Kataev, and I. I. Rozhkov 769 145
Multichannel System for the Ignition of Spark Gaps – I. Yu. Antipov, Yu. V. Kuznetsov, E. V. Lazutin, I. M. Piskarev, V. A. Khrushchev, and A. V. Shumakov 772 148
Instrument for Measuring the Power and Energy of High-Current Pulse Processes – S. T. Durmanov and L. N. Plyashkevich 774 149
High-Power Nanosecond Loads – B. I. Grishanov and Yu. G. Matveev 777 152
Thyristor Commutator for a Generator Producing Powerful Current Pulses – E. P. Mel'nikov, A. A. Mitko, and E. N. Kharitonov 779 154
Circuits for Excluding or Isolating One Pulse from a Continuous Pulse Series – N. M. Kurochkina and L. E. Bykova 782 156
Driven Multivibrators Based on Integrated Circuits – V. P. D'yakonov 785 158
Shaping of Nanosecond Pulses by Avalanche Transistors at 77°K – V. P. D'yakonov 789 162
Microstrip Two-Arm Switch for the Three-Centimeter Range – R. V. Voskanyan, K. S. Mosoyan and A. I. Smolin 791 164
Waveguide – Microstrip Transition with Low Losses for the 3-cm Range – V. E. Karapetyan, K. S. Mosoyan, and A. I. Smolin 793 165
Commutating Device for High-Frequency Signals – F. A. Abduragimov, F. I. Kuliev, A. G. Spirin, M. A. Garibov, and N. L. Guseinov 796 168
Determination of the Parameters of Dielectrics at Ultrahigh Frequencies by Means of Waveguide–Dielectric Resonances – V. A. Korobkin, N. I. Pyatak, L. I. Babarika, and Yu. G. Makeev 797 169
Balanced Resonator for ESR Research – V. V. Isaev-Ivanov and V. N. Fomichev 801 172
Device for Slow Turn on and Turn off of a High-Voltage Power Supply – G. Yu. Besednov and A. G. Leshchinskii 803 174
Power Supply of a Photoelectron Multiplier for Operation at a Frequency of 100 MHz – S. G. Basiladze and V. I. Ivanov 805 175
High-Voltage Output Stage for a Potentiostat – N. A. Serdyukov 809 178
Programming Device Based on Microcircuits – L. F. Berzin and A. L. Yakimakha 811 179

GENERAL EXPERIMENTAL TECHNIQUES

Source of Lithium Ions for Calibration of Mass Spectrometers – A. A. Kalmykov, V. I. Tereshin, V. V. Chebotarev and V. G. Yakubovskii 813 181

Method for Measuring Low Pressures — V. K. Gorshkov, L. N. L'vov, V. D. Kalantarov, and A. A. Nechushkin 815 182
Study of the Gain Stability of an FÉU-49 Photomultiplier — V. L. Dadykin and A. L. Tsyabuk 816 184
Intrinsic Amplitude Resolution of Photoelectron Multipliers Having Large Photocathodes — V. L. Dadykin and A. L. Tsyabuk 818 185
Characteristics of "Sun-Blind" Photoelectron Multipliers — N. G. Kokina, V. L. Ogurtsov, N. V. Dunaevskaya, O. I. Ivanov, G. A. Lebedeva, and É. V. Chubarova 821 188
Absolute Interference Method for Measuring Refractive Index of Solids — A. L. Briks and E. A. Volkova 825 191
Laboratory Laser Oscillator with an Optical Delay Line Inside the Cavity Resonator — N. S. Balashov, V. I. Grigor'ev, L. S. Kornienko, N. V. Kravtsov, and B. G. Skuibin 827 193
Inductance with a High Q in a Pulsed Magnetic-Field Installation — M. M. Karpenko and B. P. Khrustalev 829 194
Creation of a Powerful Pulsed Magnetic Field in a High-Pressure Container — V. I. Val'kov, V. M. Smirnov and B. M. Todris 831 197
Equipment Used along a Ballistic Path to Measure Velocity of Flying Models and for Synchronization — S. Ya. Chernyavskii 833 198
Pressure—Frequency Transducer Based on a Relaxation Oscillator with a Tunnel Diode as the Sensing Element — D. G. Ali-Zade, Yu. B. Leshchinskii, and Ya. G. Ali-Zade 836 201
High-Pressure Chamber for Investigation of Mössbauer Spectra under Hydrostatic Pressure of Close to 50 kbar — E. V. Kapitanov and V. N. Panyushkin 839 203
Measurement of Distribution of Electrical Potential in Dielectrics — V. I. Veretel'nik, K. A. Dergobuzov, O. B. Evdokimov and G. E. Shevelev 841 205
Electron-Optical System for a Slow-Electron Spectrometer — O. M. Artamonov, B. B. Bolotov, and O. M. Smirnov 844 207
Universal Manipulator for Low-Voltage Electron-Diffraction Camera — Yu. A. Benediktov and B. A. Zakalov 847 210
Use of a Rotating Vector in Measurements of Electron-Scattering Intensity — I. D. Nabitovich, Ya. I. Stetsiv, and A. M. Andreiko 849 211
Precision Measurements of Reflection Intensities on Electron-Diffraction Patterns from Textures and Mosaic Single Crystals — A. S. Avilov, R. M. Imamov, and S. A. Semiletov 853 214
Procedure for Investigating a Pulsed Corona Discharge — A. G. Lyapin and A. Ya. Rachek 855 215
Small-Angle X-Ray Camera Using Synchrotron Radiation — V. S. Gerasimov, P. M. Sergienko, V. B. Savel'ev, V. N. Korneev, and A. A. Vazina 858 217
Pulsed Source of Soft X Radiation of Nanosecond Duration — A. A. Makarevich and V. A. Rodichkin 860 220
Measurement of X-Radiation Spectra of a Plasma Focus with Time Resolution — A. I. Pavlovskii, V. N. Suvorov, Yu. B. Kondratenkov, V. I. Potikha, N. A. Protopopov, V. N. Protopopov, Yu. T. Sinyapkin, and V. F. Kuryakin 862 222
Nonvacuum X-Ray Cryostat with System for Automatically Maintaining the Liquid-Nitrogen Level — A. A. Boiko, V. A. Babayants, V. S. Denisov, A. A. Ivanov, and A. V. Mirenskii 866 225
Simple Method for Recording Photoconductivity at Ultrahigh Frequency — É. M. Trukhan, V. N. Deryabkin, and M. P. Skachkov 869 227
Installation with Stabilized Dynamic Load for Investigation of Piezogalvanomagnetic Effects in Semiconductors at Low Temperatures — I. I. Farbshte, N. S. A. Zaitsev, V. G. Krigel', D. V. Mashovets, and V. I. Pogodin 872 230
Semiautomatic Installation for Obtaining Volt—Farad Characteristics of p—n Junctions — I. A. Karapatnitskii, L. D. Golovanova, V. N. Terekhin, and I. I. Uvarov 875 232
Installation for Measuring the Equation of State of Liquid Alkali Metals — V. A. Alekseev, V. F. Kozhevnikov, Yu. K. Red'kin, Yu. F. Ryzhkov, and V. G. Stepanov 877 234
Compensation Electrothermograph with Pulse-Width Control — L. B. Mashkinov, A. B. Petukhov, Yu. M. Grigor'ev and L. N. Gal'perin 880 236

	Engl.	Russ
Universal Micropyrometer — A. V. Pustogarov, A. N. Kolesnichenko, V. N. Zavidei, A. V. Khromov, and A. I. Samsonov	883	239
Obtaining Films of Uniform Thickness by Means of a Penning Gas-Discharge Chamber — V. A. Vedernikov, V. N. Gurin, and T. I. Danilina	888	243
LABORATORY TECHNIQUES		
Flexible Waveguide — A. S. Glauberman, O. V. Bazarskii, M. F. Kustov, and V. I. Ryasnoi	892	246
Vessel for Investigating Infrared Spectra — I. G. Voroshilov and B. S. Fantich	894	247
Windows for Interferometric Vessels — Yu. L. Serov and I. P. Yavor	895	249
Vessel for Measurement of the Absorption Spectra of Substances in the Condensed State — G. N. Makeev and V. F. Sinyanskii	896	249
High-Temperature Spectral Vessel — V. M. Ogenko and I. A. Mikheev	898	251
Fabrication of Miniature Spherical Mirrors — É. G. Nikolova	900	252
Carousel Sample Holder with Magnetic Rotational Drive — G. M. Gurevich, Yu. L. Danilyuk, and A. P. Kovarskii	902	253
Obtaining Ohmic Contacts on Boron Single Crystals by Electrodeposition — N. Amandzhanov and R. Kh. Karimov	904	255
Obtaining Thin Single-Crystal Bismuth Filaments in Glass Insulation — N. B. Brandt, D. V. Gutsu, A. M. Ioisher, B. P. Kotrubenko, and A. A. Nikolaeva	906	256
Metallopolymer Composition Having a Variable Electrical Conductivity — A. N. Nikitin, I. F. Galkin, A. N. Evdokimov, A. P. Pyatnitskii, and T. N. Toroptseva	908	258
Simple Method for Obtaining Metallic Coatings on Glass, Quartz, Ceramic and Sitall — N. A. Karnaukh, L. I. Komlik, L. P. Orlov, and D. P. Protsenko	911	260
Thermionic Deposition of Thin Films — E. T. Kucherenko and V. A. Saenko	912	261
Thin Tellurium Films — V. N. Medyanik, L. N. Reshetova, and G. V. Shula	916	265
Demountable Vacuum Seal Operating at Low Temperatures — Ya. A. Bal'tsevich and V. A. Kukarin	917	265
REVIEWS OF INSTRUMENTS		
Circuit for Changing the Polarity of Voltages of the Power-Supply System for the Ion Source of the MI-1305 Mass Spectrometer — G. M. Gurevich, Yu. L. Danilyuk, A. P. Kovarskii, and O. P. Ninburg	919	267
Multiple-Reflection Attachment for UR-10, UR-20 Spectrophotometers — V. P. Tolstoi and G. N. Kuznetsova	921	268
Determination of Contamination of the Radiation Spectra from a BKhV-9 X-Ray Tube by a Spectrometer Having a Semiconductor Detector — D. A. Goganov, V. P. Gimanov, and V. M. Maksimov	923	270
NEW INSTRUMENTS		
Digital Frequency Synthesizer — A. G. Dovbnya, O. I. Gubematorov, A. F. Ivachenko, A. N. Zelenin, N. K. Svergunenko, and V. N. Shinkarenko	927	273
Installation for Statistical Analysis of Phase Fluctuations — Yu. M. Veshkurtsev	928	273
BKChKh-1 Block for Compensating Frequency Responses — A. V. Blokhin, M. I. Kolodin, Yu. I. Rebrin, V. A. Romanov, V. P. Shabashov, and A. F. Gorbuntsov	929	274
Instrument for Measuring Amplitude and Shape of Single Microwave Pulses of Nanosecond Duration — V. I. Zelentsov	929	275
Automatic Dielcometer for Investigation of Dielectric Relaxation in Polymer Materials — V. I. Ionov and I. S. Stanchits	930	276
IM-1 Pulse Magnetometer for Monitoring Pulse Magnetization of Permanent Magnets — E. V. Komarov, A. D. Pokrovskii, and G. N. Sergeev	931	276
Hemispherical Collector for Analysis of Flux of Charged Particles Having Low Energies — V. I. Khatnikov and Yu. B. Yankelevich	932	276
Semiconductor Thermoelectric Transducer — V. I. Bodnaruk	933	277
Polarization-Optical Mechanical-Stress Meter — A. E. Korotynskii, V. I. Kalemanov, and A. Ya. Nedoseka	934	278

Engl./Russ.

UT-30PTs Ultrasonic Pulsed Thickness Meter — M. V. Korolev and V. V. Aristov 935 278
Twenty-Turn Dial — L. V. Naumo 936 279
Temperature Meter-Controller — S. P. Logvinenko, B. G. Rudenko, B. D. Zakharov, and V. P. Mezentsev 937 279

Volume 19, Number 4, Part 1 July-August, 1976

Methods for Measuring Depositions of the Pulses of Radiation Detectors (review) — S. V. Beketov, A. V. Potapov, and A. F. Chernyavskii 939 7

NUCLEAR EXPERIMENTAL TECHNIQUES

NAP-M Proton Storage Ring. I. Magnetic and Vacuum System — V. V. Anashin, G. I. Budker, A. F. Bulushev, N. S. Dikanskii, Yu. A. Korolev, N. Kh. Kot, V. I. Kudelainen, V. I. Kushnir, A. A. Livshits, I. N. Meshkov, L. A. Mironenko, V. V. Parkhomchuk, V. E. Peleganchuk, D. V. Pestrikov, V. G. Ponomarenko, A. N. Skrinskii, B. M. Smirnov, B. N. Sukhina, and A. P. Usov 965 31

NAP-M Proton Storage Ring. II. Stabilization of the Current in Supply Circuits of the Guiding-Field Magnet and Correcting Elements — B. A. Baklakov, V. M. Borovikov, V. F. Veremeenko, M. M. Karliner, and S. P. Petrov 969 34

NAP-M Proton Storage Ring. III. Accelerating System. Monitoring of Beam Parameters — V. F. Veremeenko, N. S. Dikanskii, A. S. Kalinin, M. M. Karliner, B. A. Lazarenko, A. A. Litvinov, A. S. Medvedko, V. P. Ostanin, V. V. Parkhomchuk, B. N. Sukhina, and V. P. Cherepanov 971 37

NAP-M Proton Storage Ring. IV. System for Supervising the Storage Ring — Yu. A. Bolvanov, V. I. Kononov, É. A. Kuper, A. V. Ledenev, V. I. Nifontov, A. D. Oreshkov, Yu. I. Oshchepkov, D. V. Pestrikov, G. S. Piskunov, V. Ya. Sazanskii, and B. N. Sukhina 975 40

Application of a 30-MeV Microtron for Purposes of Radioactivation Analysis — V. N. Melekhin, B. S. Zakirov, L. M. Zykin, É. A. Luk'yanenko, and V. N. Samosyuk 979 44

Scheme for Correcting Orbit in a Microtron — É. A. Luk'yanenko and V. N. Melekhin 981 46

High-Frequency Path of a Microtron — B. S. Zakirov and V. N. Melekhin 984 48

System for Transporting an Electron Beam Which Has Been Extracted from a Microtron — É. A. Luk'yanenko and V. N. Melekhin 986 50

Stereomicrotron — É. A. Luk'yanenko, E. A. Gusev, B. I. Leonov, and B. S. Zakirov 988 51

Recuperator with Deep Stopping of the Electron Beam — A. P. Batashev, S. V. Rybalov, and G. I. Sapozhnikov 990 53

Measurement of Average Momentum and Composition of Secondary Beams of Particles from Accelerators — V. P. Kopter, S. P. Kruglov, L. A. Kuz'min, Yu. A. Malov, I. I. Strakovskii, and G. V. Shcherbakov 992 55

Studying the Structure of an Electron Beam in a Betatron by Means of Synchrotron Radiation — A. I. Pavlovskii, G. D. Kuleshov, and A. D. Tarasov 996 58

Beam-Position Pickup — V. P. Cherepanov 998 60

Pickup Consisting of Two Coils for Measurement of the Parameters of the Ring in the Adherer During the Compression Process — I. Gabanets and Kh. Gurach 1001 62

Time-of-flight Spectrometer in Experiments with DD Neutrons — E. A. Andreev and S. P. Sit'ko 1004 65

Simple Circuit for a Highly Stable Gamma-Resonance Spectrometer — V. N. Belogurov and V. F. Vasil'ev 1007 67

Application of Methods of Pattern-Recognition Theory to Identification of Gamma Spectra — V. A. Golikov, V. A. Grishkov, and V. V. Kuznetsov 1009 69

Wide-Gap Spark Chamber with Mylar Walls — I. Kh. Kosakov, M. P. Lorikyan, G. M. Morozova, and K. K. Shikhlyarov 1014 73

		Engl./Russ.
Use of Thin Mylar Film in Optical Spark Chambers — A. A. Zaitsev, V. M. Serezhin, V. A. Smotryaev, I. S. Trostin, and V. V. Shamanov	1015	74
Transients in Wire Spark Chambers with Decoupling Resistors — Yu. A. Semenov	1017	76
Immersible Alpha-Spectrometric Detector — V. V. Pevtsov	1020	78
Immersible Silicon Lithium-Drift Detector — V. V. Pevtsov and V. V. Krayukhina	1022	80
Effect of Irradiation with 5.5-MeV Alpha Particles on Characteristics of Ion-Doped Semiconductors Made of p-Si — A. V. Zastavnyi, V. M. Korol', and P. L. Lysenko	1024	82
Use of Germanium Radiation Detectors at Low Temperatures — A. A. Vydrik	1026	84
Analysis of Pulse Shape in a "Fosfich" Detector in an Electron Spectrometer — A. A. Gusev, G. V. Lupenko, G. I. Pugacheva, and I. A. Savenko	1029	86
Use of Phosphate Glasses for Measurement of Fission-Fragment Energies — V. A. Nikolaev, Yu. M. Protasenko, E. V. Selezner, and Yu. A. Selitskii	1031	88
Intrinsic Background of SNM-57 Proportional Neutron Counters — G. S. Vidyakin and V. P. Martem'yanov	1033	90
Polymerization of Blocks of Plastic Scintillators Having Large Dimensions — I. G. Golutvina, L. Ya. Zhil'tsova, E. N. Matveeva, O. G. Rubina, and M. D. Shafranov	1035	91
APPLICATIONS OF COMPUTER ENGINEERING IN EXPERIMENTATION		
Connection of VT-340 Display as an Operator Panel to the NR2116V Electronic Computer — V. A. Smirnov	1037	94
Type A-1 Crate Monitor in the CAMAC Standard — M. P. Belyakova, Nguen V'et Zung, and E. Khmelevski	1039	95
Stabilization of Dimensions and Spatial Position of the Raster of a Precision Television System — A. V. Petrakov, V. I. Torbaev, and V. M. Kharitonov	1042	98
Self-Adaptive Information Recorder — A. A. Furné	1046	101
ELECTRONICS AND RADIO ENGINEERING		
Universal Linear Discriminator — O. I. Andronov, V. G. Brovchenko, A. A. Mitin, G. N. Sofiev, and M. M. Tsygankov	1049	104
Universal Differential Discriminator — V. G. Brovchenko and M. M. Tsygankov	1053	107
Schmidt Triggers in Circuits for Multistep Amplitude Selection of Voltages — G. V. Davtyan	1056	110
Reversing Decade Counter with Conversion, Memorization, and Display of Results — K. A. Palaguta, M. M. Egorov, B. K. Bulychev, and L. V. Kulakov	1058	111
High-Speed Decade Based on Integrated Microcircuits — K. A. Palaguta and L. V. Kulakov	1063	116
Analog—Signal Converter Based on a Peak Detector with Time Gates — V. I. Voronin	1065	118
Pulsed Phase Detector — G. V. Basalaev and É. I. Pavlyuk	1070	122
Fast-Response Comparator with Low Hysteresis — É. I. Podol'nyi and V. E. Yamnyi	1072	124
Selecting Switch Elements in a Synchronous Filter — V. I. Zametin	1074	126
Accuracy of Determining Position of the Maximum of a Pulse Having a Known Shape in Presence of Noise — I. A. Rubinshtein and I. N. Brikker	1077	129
Device for Shaping Groups Consisting of a Stipulated Number of Pulses — V. I. Ambalov	1081	132
Distortion of Pulse Top in a Pulse Transformer — V. N. Alferov and I. R. Yampol'skii	1084	135
Pulse Transformer for Electron Gun — P. S. Antsupov, I. M. Matora, and V. A. Shvets	1086	137
Multichannel Commutator for Nanosecond Generators — G. E. Remnev, N. S. Rudenko, Yu. P. Usov, and A. A. Shatanov	1089	139
Generator Producing Single Nanosecond Pulses with Controllable Amplitude and Duration — A. I. Aleksandrin and I. S. Samodelov	1092	142

Volume 19, Number 4, Part 2 July-August, 1976

ELECTRONICS AND RADIO ENGINEERING		
Generators with a Discharge Line, Which Are Based on Avalanche Transistors — V. P. D'yakonov	1097	145

High-Speed Voltage-Pulse Generator with Spark-Gap Electrodes Which Are Combined with Capacitor Plates — I. K. Zhankov 1100 147

High-Voltage Pulse Generator for Wire Spark Chambers — Yu. D. Karpekov, G. P. Makarov, Yu. N. Simonov, and V. P. Sugonyaev 1102 149

Low-Inductance Megaampere-Current Commutator Based on Sliding Discharge — A. V. Grigor'ev, P. N. Dashuk, S. N. Markov, V. L. Shutov, and M. D. Yarysheva ... 1104 151

Explosion Multigap Circuit Breaker — A. E. Voitenko and V. I. Zherebenko 1107 153

Measurement of Voltage across a High-Current Diode — V. V. Zakutin, N. N. Nasonov, and A. M. Shenderovich 1109 155

Protection from Electromagnetic Interference for Operation of Powerful Pulse-Radiation Generators — N. I. Zavada, G. G. Gevorkyan, V. I. Lyamin, and A. V. Pilipenko 1110 156

Broadband Microwave Power Amplifier — D. S. Gol'dman, N. V. Storozhenko, B. K. Tsygankov, and V. F. Kubyshta 1113 158

Broadband Transistor Amplifiers for the Decimeter Range — M. N. Davidovich and V. K. Il'in 1115 160

Amplifier for a Stellar Electrophotometer — Yu. K. Kolpakov and A. K. Magnitskii 1116 161

Photoelectronic Receiver of Pulse Signals Which Vary over Wide Ranges of Power and Duration — G. A. Aver'yanov, I. N. Safronov, and B. M. Savichev 1118 162

Device for Electronic Commutation of Several Photoreceivers — L. I. Komyakov and V. A. Kalinin 1120 164

Broadband Autodyne Spin Detector — É. V. Dvornikov and B. V. Kompan'kov 1123 167

Superconducting Resonators Having Large Capacitance — V. V. Kolesov, V. I. Panov, and V. G. Pet'nikov 1126 169

Filter for Measurement of Parameters of Microwave Resonators Made of Ferrite Single Crystals — M. E. Il'chenko, G. A. Mirskikh, and V. N. Zamosenchuk 1128 171

Electromagnet-Field Stabilizer — I. I. Sadykov and V. F. Tarasov 1129 172

Economical Power Supply with Galvanic Isolation — G. V. Basalaev 1132 175

GENERAL EXPERIMENTAL TECHNIQUES

Pulsed Electron Source with Cold Cathode and Beam Extraction into the Atmosphere — V. V. Bogdanov, V. P. Kovalenko, V. A. Rodichkin, A. R. Serbin, and A. M. Timonin 1135 178

Vaporization of Complex Oxygen Compounds of Rare Earth Elements by Cathode-Ray and High-Frequency Ion-Plasma Methods — D. I. Chernobrovkin, I. A. Korzh, and M. N. Piganov 1137 180

Protection of the Cathode of a PMI-2 Ionization Manometric Transducer — A. A. Birshert. ... 1140 182

Double Suppression of Parasitic Signal in Three-Dimensional Quadrupole Mass Spectrometer with Channel Multiplier — É. P. Sheretov, G. A. Mogil'chenko, B. I. Kolotilin, and N. V. Veselkin 1142 185

Use of a VÉU-6 Channel Multiplier for Detection of Narrow, Intense Ion Beams — I. P. Gladkovskii 1144 186

Stabilization of Output Current of a Photoelectron Multiplier Supplied from a Modified VS-22 Source — V. I. Zametin and A. N. Putilin 1147 189

Circuit for Automatic Control of Gain of an FÉU-83 Photomultiplier According to Noise Level — G. A. Aver'yanov and L. A. Khomutova 1149 191

Infrared Telescope—Spectrometer of the Salyut-4 Space Station — M. N. Markov, V. S. Petrov, Yu. S. Ivanov, V. K. Surovov, and V. Yu. Modenov 1151 192

Attachment to Vacuum Monochromator for Investigation of Scattering Objects — A. I. Galuza and A. P. Kirichenko 1157 198

Disrupted-Total-Internal-Reflection Polarizing Attachment — V. I. Golovachev, S. S. Gusev, and A. N. Tolpygo 1159 200

Modified Babinet—Soleil Compensator — I. I. Afanas'ev, B. E. Mikhailov, and N. D. Nedashkovskaya 1161 202

New Interference Dividing Prism — A. I. Kartashev, T. A. Nessler, and I. Sh. Étsin 1163 203

	Engl.	Russ.
Formation of Powerful Light Pulses of Microsecond Duration — G. I. Belogolovtsev	1166	206
Compact Version of a Gas-Jet Source of Vacuum Ultraviolet — É. T. Verkhovtseva, V. I. Yaremenko, P. S. Pogrebnyak, and A. E. Ovechkin	1170	210
Chemical Method for Creating Surface-Barrier Photodetectors of Ultraviolet and Visible Radiation Based on GaP and GaAs — Yu. A. Gol'dberg, T. V. L'vova, and B. V. Tsarenkov	1172	212
Two-Coordinate Photocell Using Longitudinal Photoeffect — A. A. Vilisov and V. P. Voronkov	1175	214
Matrix Pyroelectric Detector for Investigating Laser Oscillators — V. M. Krasovskii, L. S. Kremenchugskii, A. K. Semenov, A. Ya. Shul'ga, and V. A. Shcheredin	1177	216
Installation for Measuring the Characteristics of Pulsed Injection Light Sources — A. G. Devyatkov, V. F. Zolotarev, A. I. Manyurov, V. M. Tarasov, and A. M. Fantich	1179	218
Stroboscopic Installation for Recording the Decay Curve of the Luminescence of Activated Crystals and Glasses — A. R. Kangro, Ya. É. Kariss, and V. A. Sevast'yanoz	1183	222
Laser-Doppler Velocity-Profile Meter — G. I. Aponin and A. A. Besshaposhnikov	1186	224
Ceramic Discharge Tubes for Cataphoresis Laser Oscillators — E. L. Latush, G. N. Tolmachev, and V. Ya. Khasilev	1189	227
Superconducting Magnet with Shield for Fields up to 30 kOe. — T. A. Smirnova, A. I. Stetsenko, and Ya. L. Shamfarov	1190	228
Method for Measuring Diffusion Coefficient by Means of a Self-Oscillating Quantooptical Magnetometer — S. L. Votyakov and L. N. Novikov	1192	230
Installation for Measuring Isobaric Specific Heat of Solids under Pressures up to 250 MPa — G. A. Mil'ner	1195	232
Installation for Measuring Mössbauer Effect under Pressure at Low Temperatures — G. N. Stepanov and V. N. Panyushkin	1198	235
Pulsed Gasdynamic Device of Ring Type — E. I. Skibenko and V. B. Yuferov	1200	237
Method for Measuring Velocities of Shock Waves in Liquid Hydrogen — N. N. Gorshkov and V. V. Sil'vestrov	1201	239
Contactless Measurement of Nonuniformity of Distribution of Current-Carrier Concentration in the Bulk of Narrow-Band Semiconductors — A. K. Laurinavichyus and Yu. K. Pozhela	1204	241
Measurement of Variation of Work Function of a Film Semiconductor by Means of Single Pulses — S. S. Volkov, A. B. Tolstoguzov, and G. N. Shuppe	1206	243
LABORATORY TECHNIQUES		
Nitrogen Preevacuation Condensation Pump — Yu. V. Kholod, L. G. Sorokovoi, and V. B. Yuferov	1209	245
Electric-Arc Vaporizer of Metals with Magnetic Confinement of Cathode Spot — L. P. Sablev, Yu. I. Dolotov, R. I. Stupak, and V. A. Osipov	1211	247
Vaporizer for Operation with Liquid Metallorganic Compounds — A. S. Efanov, V. V. Novikov, and V. V. Shemet	1213	249
Obtaining Thin Polymer Films by Vaporization in Vacuum — I. L. Roikh, D. A. Rafalovich, and V. G. Zadorozhnyi	1215	251
Obtaining Thick Vacuum Condensates on Polymer Film — A. T. Mel'nichenko	1217	252
Obtaining Multicomponent Epitaxial Structures — Yu. K. Ezhovskii, I. P. Kalinin, and V. A. Sanitarov	1218	254
Cassette for Batch Growth of Layers by the Liquid-Epitaxy Method — S. G. Zhilenis, A. A. Kavalyauskas, and E. A. Shimulite	1221	256
Soldering of Contacts to $Pb_{1-x}Sn_xTe$ Single Crystals Having a Low Concentration of Current Carriers — V. B. Orletskii, M. M. Kondratenko, and K. D. Tovstyuk	1223	258
Estimation of Parameters of Microroughnesses on the Surface of Solids by the Light-Scattering Method — Yu. S. Kaganovskii, V. D. Freilikher, V. V. Grishchenko, and I. M. Popova	1224	258

	Engl./Russ	
Temperature Stabilizer for the 77-340°K Range — P. V. Kuchinskii and V. M. Lomako	1226	261
Nitrogen Cryostat for Obtaining Intermediate Temperatures and Forced Heating of the Sample — V. D. Kopanev and V. É. Shubin	1228	262
Thermal-Stabilization Circuit Based on Industrial Instruments — V. B. Pakhalov	1230	264
REVIEWS OF INSTRUMENTS		
Use of D808 and D814 Diodes in a Device Whose Output is the Logarithm of Its Input — T. D. Kekhaiov, E. I. Dimitrov, and A. S. Levi	1232	265
Attachment to the URS-50I Diffractometer for Radiographic Investigations of Thin Films — N. I. Kazitsyna and N. V. Kazitsyn	1233	266
NEW INSTRUMENTS		
Aggregate of Instrumentation for Investigating Crystalline Materials by Means of Low-Energy Proton Beams — V. M. Kolyada, V. A. Arkhipovich, and V. G. Denisov	1235	268
ARS-1 Attachment for Radiometry of Samples Containing Alpha-Radioactive Isotopes — É. B. Ershov, Yu. A. Ivanov, É. M. Krisyuk, and N. N. Maiorov	1237	269
MAS-1 Multichannel Amplitude Selector — V. S. Mironchik, Yu. A. Panov, and E. Ya. Éis	1238	270
Multifunctional Analyzer of the Distributions of Broadband Signals — V. V. Gaishun, Yu. V. Eganov, V. V. Zyablitsev, V. A. Ovsyannikov, A. V. Pakhomenko, and N. G. Pochinchuk	1239	270
Statistical Analyzer with Equiprobable Quantization — A. K. Butus, Yu. V. Eganov, Yu. V. Kucherenko, V. V. Makarevich, V. A. Ovsyannikov, and A. V. Pakhomenko	1240	271
High-Speed Correlometer Based on an Ultrasonic Delay Line — N. F. Vollerner, A. V. Maistruk, Vs. A. Gudym, and M. M. Yarkin	1241	271
Device for Starting the Sweep of an FNK Oscilloscope — I. A. Popov (Compiler)	1242	272
IVN-100 High-Voltage Source — M. I. Tregubov, A. M. Gulyi and E. M. Varaksin	1243	273
Automated Installation with Time-of-Flight Mass Spectrometer for Studying Dynamics of Fast Chemical Transformations — O. P. Korobeinichev, I. N. Skovorodin, S. V. Polozov, Yu. K. Postoenko, I. E. Astrakhantsev, P. G. Safonov, V. A. Kuzin, and V. B. Skomorokhov	1243	273
Laser Profilograph — Yu. A. Snezhko and V. P. Tychinskii	1244	274
Installation for Surface Metallization of Ferrite — A. G. Nepokoichitskii and D. I. Stepanov	1246	274
GSV-250 Heated Economical Cryogenic Pumps — S. F. Grishin, E. Ya. Grishina, V. A. Kovalenko, A. N. Kirnos, and V. Ya. Chernyshenko	1247	275
Vacuum-Tight Electric Drive with Gear Pump for Pumped Circulation of Corrosive Liquids — Yu. D. Il'yukhin, A. A. Raiko, and A. N. Dashuk	1248	275
Flowmeter for Small Gas Discharges — V. R. Linde and B. Z. Lubentsov	1249	276
Shch68000K Printing Device — Yu. V. Karabak	1250	277
Shch68001 Universal Digital Voltmeter — A. G. Isaev	1251	277
Shch68002 Combined Digital Voltmeter V. A. Shumkin	1252	278
Shch68003 Electronic Digital Ammeter—Voltmeter — O. N. Samoilenko	1253	278
Shch68200 Resistance Comparator — Yu. I. Ushakov	1254	279
Obtaining Films of $A^{IV}B^{VI}$ Compounds (Review) — D. M. Freik	1255	7
NUCLEAR EXPERIMENTAL TECHNIQUES		
Pulsed High-Current Nanosecond Electron Accelerator with a Pulsing Frequency of up to 100 Hz — F. Ya. Zagulov, V. Ya. Borisov, G. Ya. Vlasov, A. A. Makushev, V. V. Lopatin, A. S. El'chaninov, and B. M. Koval'chuk	1267	18
Two-Million-Electron-Volt Injector for a Pulsed Betatron — A. I. Pavlovskii, G. D. Kuleshov, A. I. Gerasimov, E. G. Dubinov, D. I. Zenkov, A. P. Klement'ev, V. O. Kuznetsov, V. A. Tananakin, A. D. Tarasov, and V. P. Tsarev	1269	20
Inflectorless System for Introducing Injected Beam into a Pulsed Betatron — A. I. Pavlovskii, G. D. Kuleshov, A. D. Tarasov, and V. O. Kuznetsov	1272	23

Approximate Method for Calculating Frequency Shift of Betatron Oscillations in Nonlinear Fields — L. L. Gol'din, A. E. Bol'shakov, and V. I. Nikolaev. 1274 25
Ceramic Accelerator Tube of Improved Construction — S. B. Vasserman, I. V. Kazarezov, E. I. Pokhlebenin, and V. V. Shirokov. 1277 27
Booster Resonator — A Matching Element in the High-Frequency Path of a Microtron — S. F. Zhulinskii and V. N. Melekhin 1280 29
Operation of a Fitch Oscillator in a Nanosecond Electron Accelerator — V. V. Chernyi. 1283 32
Measurement of Equilibrium Orbit of the Beam in an NAP-M Storage Ring — E. I. Zagorodnikov, A. S. Kalinin, and A. S. Medvedko 1285 33
Automatic Measurement of the Transit Phase of a Beam in a Cyclotron — Yu. N. Denisov, A. N. Lyubenko, and M. Chigak 1287 35
Double Extraction of Protons for Irradiation of Bubble Chambers on Accelerator of the Institute of High-Energy Physics — A. I. Akimtsev, A. A. Aseev, K. F. Gertsev, V. V. Komarov, O. V. Kurnaev, A. V. Kutvinov, L. M. Moizhes, K. P. Myznikov, and V. M. Tatarenko . . . 1291 38
System of "Tagged" Photons on Tomsk Synchrotron — B. N. Kalinin, G. A. Saruev, G. N. Petlin, and V. K. Tomchakov. 1294 41
System of Drift Chambers for Experiments on Elastic Scattering of Pions and Kaons by Electrons — A. S. Vodop'yanov, T.S. Nigmanov, V. P. Pugachevich, V. D. Raybtsov, D. V. Ural'skii, É. N. Tsyganov, and M. D. Shafranov. 1296 43
Experimental Installation with a Polarized Target for Combined Measurement of Normal Polarization P and Spin-Rotation R in Elastic Scattering of Hadrons at High Energies — C. Bruneton, I. Bystritski, A. Gaidot, J. Deregel, I. Ducros, J. Cosica, A. Kats, F. Cantin-Langlois, F. Legar, A. de Lesquen, J. P. Merleaux, S. Miyashita, J. Movchet, P. Autones, R. Eausol, J. Pierrar, J. C. Raoul, P. Rubeau, M. Ramadier, L. Van Rossoum, J. Suchet, N. I. Golovnya, A. A. Derevshchikov, V. N. Zapol'skii, Yu. A. Matulenko, A. P. Meshchanin, S. B. Nurushev, A. I. Saraikin, V. S. Seleznev, V. V. Siksin, E. V. Smirnov, V. L. Solov'yanov, Yu. S. Khodyrev, Yu. M. Kazarinov, M. Yu. Kazarinov, I. K. Potashnikova, B. A. Khachaturov, and V. P. Kanavets 1300 46

Volume 19, Number 5, Part 1 September-October, 1976

Installation for Investigation of Nuclear γ, π⁻p-Reactions — Yu. A. Aleksandrov, V. A. Kozlov, A. V. Kutsenko, V. N. Maikov, V. V. Pavlovskaya, and G. A. Sokol 1306 52
Twinned Neutron Monochromator — Ya. G. Gross, N. M. Okuneva, and V. I. Pogrebnoi 1308 54
Neutron-Diffraction Installation with Double Monochromator — I. R. Éntin, V. P. Glazkov, V. B. Moryakov, I. V. Naumov, V. A. Somenkov, and S. Sh. Shil'shtein. 1310 56
Gamma-Spectrograph for Single Radiation Pulses — Yu. A. Spekhov, V. P. Volkovitskii, V. I. Golubev, and A. N. Subbotin. 1313 58
Measurement of a Pulse of γ Radiation by Means of a Pyroelectric Receiver — R. Ya. Strakovskaya, L. S. Kremenchugskii, and G. A. Dimoglo. 1317 61
Mössbauer Spectrometer with Electromagnet Producing a Field of up to 2.0-4.0 T — E. M. Sakharov, R. N. Kuz'min, and E. I. Khait 1319 63
Method for Measuring Nonuniformities of Velocity of Motion in Mössbauer Spectrometers — B. Manushev and I. Tikhov 1322 66
Differential Cerenkov Counter in a Beam of Secondary Particles on the Accelerator of the Institute of Theoretical and Experimental Physics — Yu. D. Aleshin, I. A. Drabkin, and R. A. Fomkin. 1323 67
Slow-Neutron Detector Having Large Area with an n—γ-Separation Circuit — V. Ya. Kitaev, N. N. Semenova, A. I. Abramov, A. V. Rogov, and M. G. Yutkin 1326 70
Time Characteristics of Halide Counters — A. I. Filatov 1329 73
Electronic Portion of a Device for Registering Servicing Information from the Two-Meter Hydrogen Chamber Lyudmila on Film — V. N. Semenov and V. P. Rukovichkin 1333 76

	Engl.	Russ.
Ionization Chamber Having a Controllable Sensitivity — V. S. Shepel' and O. L. Shchetinin	1336	79
Ball Radiometer — A. A. Belokon', G. Ya. Bubel', N. L. Profatilova, and D. M. Shcherbina	1338	81
EXPERIMENTAL APPLICATIONS OF COMPUTER ENGINEERING		
Use of the TEKTRONIX 611 Display on Line with the HP 2116B Computer — V. A. Smirnov	1341	83
Reversing Binary—Decimal Counter Based on Integrated Microcircuits — A. L. Bezuglov	1343	85
Monitoring Stability and Linearity of Spectrometric Channels of Cerenkov Counters by Means of Controllable Blocks — D. Kollar, L. Kollarova, and P. Hórvath	1346	87
Parallel System for Recording Information from Magnetostriction Spark Chambers — T. N. Levchenko, V. P. Popov, Yu. G. Yakushina, and V. A. Khrushchev	1349	90
Photoreadout Device — V. P. Bruyakin	1352	92
Thyristor Drive for Electromechanical Printing Devices — B. A. Volkov and A. A. Babanin	1355	95
ELECTRONICS AND RADIO ENGINEERING		
Low-Frequency Noise Spectrum Analyzer — A. Ya. Sal'nichenko	1358	97
High-Resolving-Time Coincidence Circuit Based on Integrated Elements — Yu. V. Korshunov and V. L. Fominykh	1361	99
Fast-Coincidence Circuit Based on Integrated Microcircuits — V. M. Kuznetsov, G. N. Petlin, and V. K. Tomchakov	1363	101
Counters Based on Integrated Circuits with Switchless Display Drive — V. A. Zaretskii, G. L. Notkin, and O. D. Makeev	1366	104
Difference Pulse Counter — A. L. Bezuglov, G. Sh. Pekarskii, and V. M. Shmyglev	1369	106
Quantizing Converters Based on a Single-Junction Transistor — D. G. Ali-zade, Yu. B. Leshchinskii, and A. Sh. Kuliev	1371	108
Bipolar Voltage-to-Frequency Converter Based on an LC Oscillator with Linearization — S. G. Saligov and D. L. Damirov	1373	110
High-Speed Voltage-Pulse Generator with Local Pressurization and Mutual Irradiation of Spark Gaps — L. K. Zhankov	1375	112
Generators Producing Powerful Nanosecond Pulses for Excitation of Semiconductor Light Emitters — V. P. D'yakonov	1377	113
Installation for Investigating Turn-on Processes in Ultrahigh-Speed Modulator Thyristors — A. F. Kardo-Sysoev and V. P. Reshetin	1380	116
Pulse Generator Based on an Analog of a One-Junction Transistor — A. M. Matveev	1382	118
Oscillator Producing Discrete Frequencies with Electronic Tuning — V. P. Potalui and G. M. Sidorov	1383	119
Stable-Phase Oscillator Producing a Discrete Set of Frequencies with High Uniformity of the Spectra — O. B. Sharpan	1385	120
Oscillator with Broadband Electronic Frequency Tuning — L. M. Batyaev	1387	122
Nanosecond-Pulse Converter — Z. V. Magrachev, N. N. Tishchenko, and A. A. Fedorov	1388	123
Device for Shaping Radio Pulses — S. L. Pyatin, V. D. Rudyk, and V. Yu. Marushchak	1391	126
Pulse Meter with Increased Accuracy for Measuring Group Time Delay of Delay Lines — L. V. Peretyagin and B. L. Poronik	1393	127
Broadband Linear Amplifier — S. G. Basiladze and Li Wan Sun	1396	130
Pulse Amplifier Based on ESL Integrated Elements — E. D. Baran, A. P. Tikhobaev, and and A. A. Chaika	1399	133
Amplifier—Discriminator for Magnetostriction Spark Chambers — E. A. Silaev	1402	136
Broadband Amplifier for Measuring Propagation Velocity of Ultrasonic Vibrations in Solids — V. A. Chizhikov and V. M. Musonov	1406	139
Transistor Amplifiers with Increased Collector Voltage — V. G. Brovchenko and V. V. Shafirkin	1408	140
Direct-Current Pulse Amplifier with Increased Interference Immunity — G. V. Suvorov and L. I. Tsytovich	1412	144
Direct-Current Amplifier with Frequency-Pulse-Width Modulation — V. A. Klynin	1415	147
Switch-Type Automatic Gain Control — A. Yu. Shchekotov	1418	149
Simple Integrator for Integrating Negative Currents — V. A. Voronov, É. L. Kebin, A. L. Mokhamed, Yu. L. Nechaev, and V. G. Sukharevskii	1420	151

Volume 19, Number 5, Part 2 September-October, 1976

ELECTRONICS AND RADIO ENGINEERING

Balanced Switch Converters That Convert Phase Shifts into Voltages Using Logical Circuits — A. O. Ottens, A. A. Zavalishvili, and N. N. Shtarev 1423 152

Digital System for Filtering Optical Signals Having a Duration 10^{-7}-10^{-3} sec — M. I. Demchuk, V. N. Denisenko, V. N. Khaiminov, and A. F. Chernyavskii 1425 154

Device for Measuring Admittance Parameters of Two-Terminal Networks — I. D. Borinets, I. Ya. Kozyr', and V. N. Fedorov 1427 155

Device for Monitoring a Multichannel Analyzer — A. Ts. Dyatlov, V. V. Zakharov, and G. N. Orlov 1429 157

Magnetic Recording Device — A. N. Korol' 1433 160

Matching Circuits Designed Using p—n—p Transistors and Transistor—Transistor Logic Elements — K. I. Konov 1435 162

Method of Transmitting Standard Signals by Means of ESL Integrated Circuits over Long Communication Cables — S. G. Basiladze 1437 164

Compact Transformer Based on Sections of Coaxial Cable — A. N. Meshkov and V. I. Shishko . 1440 166

Resonance Cell for a Double Nuclear-Electron-Resonance Spectrometer Operating in a Magnetic Field 120-350 G — V. I. Baldin and A. P. Stepanov 1442 168

Polaroids for the Submillimeter Range which are Based on Dichroic Crystals — V. V. Meriakri and E. F. Ushatkin 1444 170

Stable Compact Power-Supply Block for a Photoelectron Multiplier — S. R. Lemzyakov and A. K. Sheremet'ev 1447 172

Stabilized High-Voltage Source — V. G. Volkov and M. M. Shtein 1449 174

Two-Step Voltage Stabilizer with Increased Efficiency — V. V. Dolgikh and V. I. Dolgikh. ... 1451 175

Simple Shaper of High-Voltage Nanosecond Pulses Having a High Repetition Frequency — F. L. Gerchikov, A. N. Vorob'ev, and V. M. Bogdanov 1454 178

GENERAL EXPERIMENTAL TECHNIQUES

Intense Plasma Source of Negative Antimony Ions — M. D. Gabovich and I. M. Mitropan. 1457 181

Ion-Output Device for the MI-1305 Mass Spectrometer — Yu. D. Kornyushkin and N. V. Stavrovich. 1459 183

Polychromator Based on an MDR-2 Monochromator for Plasma Diagnostics by Laser-Radiation-Scattering Method — V. V. Sannikov 1461 185

Measurement of Speed of Rotation of the Neutral Fraction of Partially Ionized Rotation Fields by Means of a 6MKh1S Mechanotron — A. N. Doroshenko, V. N. Zharikov, and V. P. Minenko 1463 186

Use of a Monopole Mass Spectrometer for Investigating the Ion Component of a Plasma Stream Generated by Vacuum Arc — V. M. Lunev, V. G. Padalka, and V. M. Khoroshikh. 1465 189

Use of an RMO-4S Omegatron for Determining Isotopic Composition of Nitrogen, Oxygen, Carbon, and Sulfur — M. A. Galkin and V. V. Fedorov. 1467 191

Calibration of a Mass Spectrometer by Nonstationary-Flow Method — L. V. Gulin, P. V. Volobuev, and P. E. Suetin 1470 193

Focusing of Image in an Image Converter by Means of a Strong Magnetic Field — V. I. Kirillov, G. P. Okutin, M. M. Stepanenko, and S. A. Chuvatin. 1472 195

Effect of Cooling on the One-Electron Characteristics of a Photoelectron Multiplier — A. T. Kurtov, G. S. Med'ko, A. V. Poletaev, and S. Z. Shmurak. 1474 197

Correction of the Zone Characteristic of a Photoelectron Multiplier with a Large Photocathode Diameter — V. R. Lazarenko and L. G. Tokareva 1477 199

Effect of Circuit Configuration of a Channel Electron Multiplier on Its Parameters — M. R. Ainbund 1479 202

Installation for Measuring Light Scattering by Crystals — V. V. Geras'kin, A. A. Blistanov, and A. P. Saltykov 1482 204

Twin-Wave Mach–Zender Laser Interferometer with Stabilization of the Position of the Operating Point – A. K. Dmitriev, V. A. Sedel'nikov, A. A. Knyazev, G. M. Kornoukhov, L. A. Mel'nikov, É. M. Rabinovich, and K. S. Roman'ko	1484	206
Narrowing the Bandwidth of a Fabry–Perot Interferometer by Introducing an Active Element – V. G. Gusev and L. N. Popov	1486	207
Method and Device for Monitoring Radiation from Pulsed Laser Oscillators – S. G. Slavnov	1488	209
Laser Producing Synchronized Pulses of Nanosecond and Picosecond Duration for Investigation of Processes in the Field of an Intense Light Wave – G. B. Al'tshuler, V. B. Karasev, and S. F. Sharlai	1491	211
Pumping Oscillator for Lasers Having Transverse Excitation – V. F. Losev, V. F. Tarasenko, and A. I. Fedorov	1493	213
Use of Photoelectric Receivers with Photocathodes Based on Ag + O + Cs to Record and Visualize Radiation from Lasers in the 1-2-μ-Range – V. M. Klimkin and V. E. Prokop'ev	1494	215
Investigation of Vibration Immunity of Laser Constructions Designed for Interference Measurements – V. A. Khanov	1496	216
Relative Method for Measuring Threshold-Recording Energy Density – V. V. Kaminskii	1499	218
Doppler Velocity Meter with Microwave Modulation of Optical Radiation – V. N. Davydov, Yu. P. Egorov, B. L. Pivovarov, and V. A. Trofimov	1501	220
Use of an S Diode in an Infrared Radiometer – E. G. Mirzabekyan, R. G. Simonyan, and A. Abramyan	1503	221
Display of Infrared Radiation by Means of the Light-Scattering Effect – A. S. Vasilevskaya, N. M. Grodnenskii, and A. S. Sonin	1504	223
KS-250 Combined Magnetic System Having 25-T Induction – P. A. Cheremnykh, G. F. Churakov, B. V. Rozhdestvenskii, B. N. Samoilov, and N. A. Chernoplekov	1508	226
Superconducting Solenoid of the KS-250 Combined Magnetic System – P. A. Cheremnykh, G. F. Churakov, V. E. Keilin, E. Yu. Klimenko, A. N. Kulyamzin, N. A. Monoszon, Yu. N. Ostroumov, B. V. Rozhdestvenskii, B. N. Samoilov, and N. A. Chernoplekov	1512	230
Water-Cooled Solenoid of the KS-250 Combined Magnetic System – P. P. Klyavin, A. D. Levashov, B. V. Rozhdestvenskii, E. A. Horn, P. A. Cheremnykh, and A. N. Kulyamzin	1515	232
Pulsed Solenoid Which Produces a Field of 450 to 500 kOe – O. V. Fomin and B. P. Khrustalev	1518	235
Short-Circuited Coil in the Circuit of a Solenoid Which Produces a Pulsed Magnetic Field – A. F. Kivshik and V. Yu. Dubrovin	1520	236
Control of Space Distribution of a Pulsed Magnetic Field by Shielding Individual Sectors of the Solenoid – V. V. Zakutin and A. M. Shenderovich	1522	238
Magnetostatic Shielding of a Scintillation Counter – V. M. Novikov and P. I. Romasheva	1524	240
Instrument for Measuring Characteristic Magnetic Fields of Induction Accelerators – A. G. Sedoi and M. M. Shtein	1525	241
Universal Installation for Studying Pulsed Magnetic Reversal of Magnetic Films in the Nanosecond Range – O. S. Kolotov, T. Sh. Musaev, V. A. Pogozhev, and R. V. Telesnin	1527	243
Magnetic Suspension of a Body with a Ferromagnetic Disk – V. M. Vorob'ev, A. V. Vorob'ev-Obukhov, A. Yu. Dmitriev, and O. D. Pozdeev	1530	245
Device for Measuring Powerful Pulsed Electric Fields – V. I. Demachev, L. L. Sergeev, and L. N. Afanas'ev	1533	248
Universal Electrical-Measurement Installation for Investigating Six Kinetic Coefficients – M. P. Volotskoi and Yu. A. Nikulin	1535	250
Consideration of Deformation of the Piezometer in Investigating p–v–T Properties of Liquids and Gases – A. I. Porkhun, A. B. Tsaturyants, and L. D. Porkhun	1539	253

	Engl.	Russ.
Spectrum of X-Ray Tubes Having a Thermionic Cathode Which Operates in a Pulsed Mode — V. P. Abramov, A. S. Kuleshov, and V. K. Kuleshov	1542	256
Monochromatization of X Rays by Means Total External Reflection — V. M. Sinaiskii and L. P. Grigorenko	1545	259
Spectrometer with a Diffraction Grating for Analysis of Light Elements in Microprobe Instruments — A. I. Kozlenkov, V. G. Bogdanov, and Yu. I. Belov	1547	261
Electron-Microscopic Observation of Variations of Amplitude and Direction of Magnetization in Thin Films — Ya. M. Pogosyan and D. Petsol'd	1551	264
Secondary-Electron Collector for Measurement of Local Electric Fields in an RÉM-200 Raster Electron Microscope — T. D. Fetisova and B. I. Pochtarev	1554	267
Installation for Visual Observation of the Volt—Ampere Characteristics of Low-Resistance Semiconductor Structures — L. I. Kats, A. V. Kulakovskii, and V. Z. Kulakovskii	1556	269
Dependence of Spreading Electrical Resistivity on the Load Applied to the Measurement Probe — V. A. Malyshev, N. I. Gusakov and O. V. Sil'vanskaya	1558	271
Au—Si Surface-Barrier Detectors with Increased Sensitivity in the Near Ultraviolet — L. S. Gatsenko, T. M. Golovnev, and G. N. Groshkova	1559	272
LABORATORY TECHNIQUES		
Compact Collector Device for Measuring Vaporization Rates by the Langmuir Method — Sh. A. Alimov, V. M. Tartakovskii, and A. E. Chernov	1562	274
Use of Electron-Beam Sweep along Two Circles in Order to Melt Metal — N. N. Alybina and V. A. Chernov	1563	275
Instrument for Determining Axes of Easy Magnetization of Ferromagnetic Single-Crystal Balls — T. D. Zotov and R. Z. Sadykhov	1565	277
Thermometric Characteristics of Silicon Semiconductor Diodes — N. S. Bezverkhnyaya, L. M. Vasil'ev, Yu. P. Dmitrevskii, and Yu. M. Mel'nik	1566	278
Device for Measuring Thermal emf of Semiconductor Materials — V. I. Lyashchenok, G. L. Plekhotkina, and N. I. Strekopytova	1568	280
REVIEWS OF INSTRUMENTS		
Electronic Sweep of the Field of the Magnet in an RÉ1301 Microwave Spectrometer — B. F. Alekseev and A. I. Mamykin	1570	281
Precision Direct-Current Stabilizer Based on a P-136 Stabilizer — V. Yu. Galkin	1571	282
System for Digital Recording of Mass Spectra for Use with an MI-1309 Spectrometer — A. F. Makeev	1572	283
Improvement of the Sweep Block of the RÉMP-2 Raster Electron Microscope — Ch. B. Sledevskii, V. V. Tsybul'skii, and L. D. Buiko	1575	285
NEW INSTRUMENTS		
Specialized SZU-64 × 10 Memory Device Based on Integrated Microcircuits — A. V. Kachin, G. I. Kuznetsov, G. S. Ratanov, and L. G. Shelekhov	1578	288
Cathode-Ray Tube for Fast Recording of Information on an External Carrier — Yu. A. Bystrov, A. V. Kuznetsova, V. V. Levinson, E. G. Lyakhovskii, O. F. Mel'nikov, and G. M. Persianov	1579	289
Device for Interfacing Pressure Meter to Supervisory Computer — D. A. Rossoshinskii, A. I. Sergeev, and V. G. Tsyvinskii	1580	290
Digital Frequency Meter with High Noise Immunity — V. G. Patykov, S. A. Podlesnyi, and M. K. Chmykh	1581	290
Digital Meter for Measuring Parameters of Inductance Coils — A. I. Martyashin, P. P. Churakov, V. M. Shlyandin, and E. D. Kalita	1581	291
Time Counter — N. A. Filin and A. V. Trofimov	1582	291
Pulse-Combination Generator — L. T. Kovalenko and K. K. Skerskii	1583	292
Instrument for Measuring the Amplitude and Phase Difference of Pulse- or Continuous Radio-Frequency Signals — Yu. V. Berezin and V. A. Kiselev	1584	292
High-Voltage Transistor Nanosecond Amplifier — A. N. D'yachko, L. G. Boltovskaya, and A. A. Titov	1584	293

Instrument for Remote Measurement of High-Voltage Ripple — M. V. Khashchina, M. D. Bunyaev, I. T. Venevtsev, Z. E. Ptukhina, and G. M. Skoromnyi 1585 293
Power-Supply Block for Ion Source with Electron Bombardment — V. M. Akimov, A. I. Volkov, and L. Yu. Rusin 1586 294
Cathode-Ray Display Unit for Investigating Weak Luminescence — V. I. Zhavoronkov and S. I. Zhavoronkov 1587 294
Shch1312, Shch1413, Shch1513 Digital Voltmeters 1587 295

Volume 19, Number 6, Part 1 November-December, 1976

Emitter-Coupled Integrated Circuits and Their Application in Nanosecond Nuclear Electronic (Survey) — S. G. Basiladze 1589 91

NUCLEAR EXPERIMENTAL TECHNIQUES

Nanosecond Electron Accelerator — K. A. Zheltov, V. I. Matakov, A. V. Malygin, and V. F. Shalimanov 1605 20
Recovery of the Magnetic Field Configuration in the Interpolar Gap of an Accelerator with Respect to Measurement Results — L. L. Gol'din, P. R. Zenkevich, D. G. Konhkarev, and V. I. Nikolaev 1608 23
Vacuum Ultraviolet-Radiation Extraction Channels in the N-100 Storage Ring — I. A. Grishaev, I. S. Guk, V. P. Kozin, A. S. Mazmanishvili, L. A. Makhnenko, N. I. Mocheshnikov, and A. S. Tarasenko 1611 26
Measurement of Beam Losses and Inhomogeneity of the Electrically Conducting Surface Coating of the Accelerating Tube of a Linear Induction Accelerator — O. S. Bogdanov, Yu. P. Vakhrushin, A. A. Volzhev, V. K. Gagen-Torn, and I. E. Reutskaya 1613 28
Injector with Field-Emission Cathode for a Betatron — V. O. Kuznetsov, G. D. Kuleshov, Yu. P. Kuropatkin, A. I. Pavlovskii, and V. A. Tananakin 1616 30
Cryogenic Source of Polarized Hydrogen and Deuterium Atoms — A. A. Belushkina, V. P. Vadeev, A. I. Valevich, G. I. Gai, E. D. Donets, V. P. Ershov, L. S. Kotova, Yu. A. Plis, Yu. K. Pilipenko, and V. V. Smelyanskii 1618 31
Miniature Source of "Labeled" Alpha Particles — G. P. Skrebtsov, V. V. Avdeichikov, E. A. Ganza, A. A. Kolchin, V. V. Lebedev, V. F. Levchenko, and A. I. Repin 1622 35
Determination of Parameters of X-Ray Sources Based on ^{55}Fe — G. A. Gurov and L. D. Danilin 1625 37
Powerful Polarized Neutron Beam in a Vertical Reactor Channel — B. G. Erozolimskii, Yu. A. Mostovoi, B. A. Obinyakov, S. A. Petushkov, V. P. Fedunin, O. K. Khakhan, and V. N. Chernyshevich 1628 39
Characteristics of Total Absorption Cherenkov Spectrometer for Electrons and Gamma Quanta — S. A. Bunyatov, B. Zh. Zalikhanov, V. S. Kurbatov, and A. Khalbaev 1632 42

APPLICATIONS OF COMPUTER ENGINEERING IN EXPERIMENTATION

On-Line Processing System for Infrared Absorption Spectra — G. M. Bukat, D. K. Buslok, R. G. Zhbankov, A. V. Pchelkin, N. P. Savik, and A. V. Skachek 1635 45
Use of Mathematical Programming Method to Obtain Interval Estimates of Nuclear-Radiation Characteristics — N. G. Volkov, V. K. Lyapidevskii, and Yu. I. Malakhov 1638 48
Fast 32-Channel Hodoscopic Gating Module with Memory and Data Output into a CAMAC Data Way — S. G. Basiladze and Li Van Sun 1641 50
Binary- to Binary—Decimal Code Converter — N. I. Zhuravlev, Nguyen Man Shat, A. N. Sinaev, and A. A. Stakhin 1644 52
High-Speed Shaping Device for Address Control of Laser Beam Deviation — V. I. Polyakov and O. A. Busel 1646 55
Automatic Checking of Delays in Coincidence-Circuit Channels — D. Kollar, L. Kollarova, and P. Khorvat 1648 56

ELECTRONICS AND RADIO ENGINEERING	Engl.	Russ.
Counter with Memory — I. N. Likhtman	1651	59
Integrated-Circuit Multichannel Commutator — Z. I. Dombrovskii and A. A. Stolyarov	1653	61
Simple and Economical Incandescent Seven-Segment Indicator — Ya. L. Burtov and Yu. A. Kostenko	1656	64
Universal Source of High-Voltage Signals — V. D. Dvornikov, I. I. Kakunov, S. T. Latushkin, V. A. Rezvov, and L. I. Yudin	1659	66
Generator Directing a Prolonged Burst of Betatron-Accelerated Electrons onto a Target without any External Supply Sources — N. E. Shvartsman	1662	69
Pulse Generator of Stored Energy 135 kJ for the Tonus 2M Accelerator — A. G. Stepligov, Yu. P. Usov, V. I. Tsvetkov, and A. A. Shatanov	1664	71
Generator of High-Voltage Subnanosecond Electron Beams — B. M. Koval'chuk, G. A. Mesyats, and V. G. Shpak	1667	73
Controlled Spark Gaps for High-Voltage Pulse Generators — V. R. Kukhta, E. I. Logachev, V. V. Lopatin, G. E. Remnev, V. I. Tsvetkov and V. P. Chernenko	1670	76
Shaper of Rectangular Magnetic-Field Gradient Pulses — A. V. Anisimov	1674	79
Integrated-Circuit Pulse Shapers — S. N. Neustroev, A. I. Ovcharenko, A. K. Solov'ev, and V. M. Trokhin	1677	81
High-Speed High-Voltage dc Amplifier with Conversion — M. B. Leitman and V. V. Kruglov	1679	83
Protection Devices for High-Power Transistorized Radio-Frequency Amplifiers — V. P. Nuyanzin and G. V. Litvinov	1681	85
Operational Amplifier — V. G. Brovchenko and V. V. Shafirkin	1683	87
Computing Amplifier That Calculates the Logarithm of a Ratio — N. D. Tret'yakov	1686	89
Selective Limiter—Amplifier with High Phase—Amplitude Stability — A. M. Fishtein	1688	91
Input Stage of Phase-Stable Amplifier with Automatic Gain Control — A. M. Fishtein	1691	93
Ten-Channel Delayed-Pulse Generator — A. Ya. Matveev, L. V. Popov, and M. K. Supikov	1693	94
Wide-Band Transistor Frequency Doubler — S. F. Otchalko, V. F. Otchalko, and N. N. Shtarev	1696	97
Multiplier for Superhigh Frequencies with High Multiplication Factor — A. Z. Venger, A. N. Ermak, and A. M. Yakimenko	1698	98
Commutable Circulator with Increased Mean-Power Level — B. Yu. Kapilevich, N. S. Simin, and O. N. Bezuglova	1700	100
Scanning Device for Visualization of Transverse Distribution of Submillimeter Radiation Fields — V. V. Zav'yalov and V. I. Voronin	1702	102
Faraday Screen for Nuclear-Magnetic-Resonance Spectrometer with Crossed Coils — S. V. Rykov, N. A. Shatalov, and A. V. Kessenikh	1705	104
Oscillographic Measurement of Distribution Functions of Random Processes — L. S. Mettus and A. D. Shishkin	1706	105
Pulse Technique for Measuring Velocity of Acoustic Surface Waves — V. V. Zalesskii, Ya. E. Mel'tser, and É. V. Stremovskii	1708	107
Recirculating Pulse Generator for Measuring Changes in the Velocity of Acoustic Surface Waves — A. P. Sereika	1711	109
Linear Converter for Acoustic Emission Signals — A. A. Ganzha, B. S. Gritsenko, G. Ya. Pochtovik, and A. V. Filippov	1713	111
Electrical Circuit of a Potentialograph — A. I. Gerasimov, G. D. Kuleshov, S. T. Nazarenko, A. D. Tarasov, and V. P. Tsarev	1715	113
Contactless Noncircuit-Breaking Measurement of Large Currents — Yu. A. Bystrov, N. A. Griboedov, E. N. Zagranichnyi, and Yu. F. Radchenko	1717	115
Rogowski Loop with Ferrite Core for Precision Measurement of High-Power Current Pulses — Yu. T. Kiryushin and Yu. M. Kolesnikov	1719	116
Shunt Made from Composition Resistors — E. I. Azarkevich and Yu. A. Kotov	1722	119
Pulse-Operated Voltage Stabilizer — K. Kaunbaev	1724	120
High-Voltage dc Stabilizer — V. V. Kruglov	1726	121
Stabilizer Rectifier Unit — I. K. Kononov and V. S. Pakhuta	1728	123

Engl./Russ.

Volume 19, Number 6, Part 2 November-December, 1976

GENERAL EXPERIMENTAL TECHNIQUES

Pulse Electron Accelerator to Excite Large Gas Volumes — B. M. Koval'chuk, V. A. Lavrinovich, V. I. Manylov, G. A. Mesyats, and A. M. Rybalov 1731 125

Jet Probe of a Halide Leak Detector — V. F. Rogal', A. I. Zapunnyi, and L. S. Fel'dman 1734 128

Pulse Type Hydrogen Diffusion Leak — S. G. Konstantinov, O. K. Myskin, and F. A. Tsel'nik 1737 130

One-Electron Response of FÉU-106 Photomultiplier — S. S. Vetokhin, I. E. Zalesskii, and I. V. Reznikov 1738 131

Selection of Photomultiplier Tubes for Time and One-Electron Operation — S. S. Vetokhin, I. R. Gulakov, A. N. Pertsev, and I. V. Reznikov 1749 133

Application of FÉU-114 Photomultipliers with Venetian-Blind — N. I. Agantaeva, S. S. Vetokhin, A. N. Pertsev, and I. V. Reznikov 1743 136

Photomultiplier with Subnanosecond Input Gate — K. A. Gulgazaryan 1745 138

Application of Photoionization Mass Spectrometer to Obtain Threshold-Photoelectron Spectra — G. B. Karachevtsev, M. M. Lipei, and V. K. Potapov 1749 141

Magnet with Radial Field for Polarization of Flowing Liquid — P. P. Gegele, and A. B. Rukhin 1752 144

Control of Magnetic Field Distribution of Pulsed Solenoid — A. F. Kivshik, V. B. Kashirin, and V. Yu. Dubrovin 1754 145

Carbon-Dioxide Laser with Transverse Excitation and Preliminary Photoionization — Yu. A. Rubinov and P. A. Shakhverdov 1756 147

Use of a Combined Pulse Transformer for Electronic Pumpling of a Semiconductor Laser — N. V. Belkin, N. G. Pavlovskaya, L. N. Khudyakov, and S. L. Él'yash 1758 149

Illumination Systems with DRSh-1000 and PRK-7 Mercury—Quartz Lamps — V. V. Maslov, V. A. Gol'din, and E. L. Tapil'skii 1760 151

System for Measuring Recombination Parameters of Photoelement for Different Injection Levels — E. B. Vinogradova, T. M. Golovner, S. M. Gorodetskii, and N. S. Zhdanovich .. 1762 153

Investigation of the Characteristics of Infrared Detectors with Optical Frequency Conversion Using $LiIO_3$ and $LiNbO_3$ Crystals — M. S. Barahkov, V. S. Dugin, I. N. Matveev, S. M. Pshenichnikov, and A. F. Umnov 1765 155

Interferometer for Measuring Amplitude—Phase Transmission of Optical Components — L. G. Kleshchel'skii, I. N. Kuligin, and I. V. Salamov 1768 158

Reversible Fringe Counter for Interferometry — V. P. Zakharov, Yu. A. Snezhko, V. P. Tychinskii, and N. N. Evtikhiev 1770 159

Automatic Compensator of the Background and Dark Current in the Output Current of a Photomultiplier — V. I. Zametin and A. N. Putilin 1773 163

Measurement of Weak Polarization of Atomic Fluorescence — A. P. Bryukhovetskii, and R. V. Orlov 1778 176

Cutoff Filter for CO_2 Laser Operation — M. S. Bresler, O. B. Gusev, and A. P. Korol'kov 1779 168

Instrument for Measurement of Rotatory Hysteresis — Yu. A Khimin, R. V. Lin'kov, G. G. Denisov, Yu. M. Urman, and V. A. Vyatkin 1781 170

Apparatus for High-Temperature Measurements of Conductivity and Hall Effect in Semiconductors — A. V. Marinaitis, A. P. Sakalas, and N. Yu. Sinevichus 1783 172

Focusin Spectrograph for Recording X Radiation of Laser Plasma in the Wavelength Range Shorter Than 3 Å — Yu. A. Mikhailov, S. A. Pikuz, A. Ya. Faenov, and S. I. Fedotov ... 1785 174

Completely Metallic Field-Emission Microscope for Research on Radiation Defects During Time of Irradiation — A. F. Bobkov, V. T. Zabolotnyi, L. I. Ivanov, G. M. Kukavadze, V. N. Mel'nikov, and A. L. Suvorov 1788 176

Garnet-Ferrite Film-Thickness Measurement with Interference Attachment to a UM-2 Monochromator — V. N. Dudorov, Yu. A. Durasova, S. M. Zimacheva, V. V. Randoshkin, R. V. Telesnin, and I. I. Timokhin 1791 179

	Engl.	Russ.
Apparatus for Measurement of the Electrocaloric Effect — V. A. Gordienko, M. M. Guseninov, N. S. Ibraimov, V. V. Korchazhkin, V. I. Nikolaev, and V. S. Rusakov	1793	181
Isothermal High-Pressure Solid-State Reaction System with Means of Temperature-Uniformity Monitoring — R. A. Ishbulatov and Yu. A. Litvin	1795	183
Superheterodyne Decimeter-Waveband esr Spectrometer for Operation at Ultralow Temperatures — L. I. Medvedev, N. M. Suleimanov, B. G. Kharakhash'yan, and S. Ya. Khlebnikov	1797	185
Glass Helium Cryostant for Optical Measurements — V. V. Kulakov	1800	187
LABORATORY TECHNIQUES		
Device for Continuous Current Regulation in High-Current Circuits — A. A. Belyaev, V. I. Kashin, and A. L. Pimenov	1802	189
Thyristor Control Circuit for an Emergency Valve — L. V. Arinin and V. T. Vyskub	1804	190
Low-Temperature High-Frequency Connector for High-Pressure Systems — V. B. Esel'son, V. V. Shapovalenko, and B. G. Udovidchenko	1805	192
Standard Digital-Readout Displacement Transducers in Automated uhf Measurement Systems — I. M. Buzin, A. I. Korobov, E. I. Rukin, and A. E. Starodub	1806	193
Measuring Whisker Thickness with the MII-4 Microinterferometer — E. M. Golyamina, and V. M. Pudalov	1807	194
Controlling the ISSh-7 Flash Lamp — S. A. Kolchedantsev, V. I. Kovalenok, A. N. Buldakov, and V. E. Smirnov	1809	196
Comparison of Light Pipes with Smooth and Mosaic Input Ends — V. P. Marinets, L. S. Melkhisedekov, and B. V. Osyka	1810	197
Production of Thin Opaque Coatings of a Plastic Scintillator — A. T. Altyntsev, V. I. Krasov, and N. V. Lebedev	1811	198
Recurrently Operating Laboratory Thermostat Making Use of Phase-Transition Heat — E. A. Kolenko	1814	200
Radiation-Stable Crystal Thermometer — E. I. Stepina	1815	201
Effect of Strong Magnetic Fields on the Thermo emf of Low-Temperature Cu/Cu + Fe Thermocouples — G. S. Abilov, B. I. Al'shin, V. M. Beilin, M. I. Losev, and L. A. Medvedeva	1817	202
Low-Inertia Liquid-Crystal Thermal Converter — E. A. Kolenko	1819	204
Thermoanemometers Based on Silicon Single-Crystal Whiskers — S. A. Ammer, O. S. Eliseeva, V. N. Sarykalin, and V. A. Eliseev	1820	205
Bismuth—Antimony Film Thermopiles for Radiation Pyrometry — Antimony Film Thermopiles for Radiation Pyrometry — D. V. Yakashvili, V. P. Kolesnikov, V. N. Vigdorovich, and G. A. Ukhlinov	1822	207
Production of Temperatures over the 29-63°K Range Using Solid Nitrogen and Its Application — M. P. Larin	1824	208
Method of Producing Gas Mixtures of Closely Controlled Composition — L. I. Kurlapov, and G. P. Martynova	1827	211
Preparation of Micropore Filters by Bombarding Lavsan Film with Ar Ions — Yu. F. Gagarin, G. M. Rusinskii, N. S. Ivanova, and I. Kh. Lembert	1829	213
Precision Angular-Displacement Control with Fast Error-Signal Transducer — R. F. Suramanov	1831	215
Filled Epoxy Polymer with Low Thermal-Expansion Coefficient — V. V. Shapovalenko, I. D. Tykachinskii, G. V. Kataeva, and V. V. Pyatnitskaya	1835	219
VIEWS OF INSTRUMENTS		
Small-Scale Device for Moving Solid Specimens in the Vacuum Chamber of the MKh1303 Mass Spectrometer — V. M. Andon and N. V. Larin	1838	221
Cuvette Attached to UR-20 Spectrophotometer for Recording Infrared Multiple-Reflection Spectra of Adsorbed Molecules — V. G. Kuleshov, B. V. Zhuk, and G. A. Domrachev	1839	222
Low-Temperature Attachment for DRON-0.5 X-Ray Diffractometer — V. G. Zubkov, I. E. Pavlov, and S. I. Alyamovskii	1841	224

NEW INSTRUMENTS

Wide-Range Time-Interval Synthesizer with Nanosecond Scale — V. I. Ivanov, V. M. Baranchikov, and I. A. Malevich 1843 226
High-Speed Time Gate with Parametric Superhigh-Frequency Scale Stabilization — V. I. Gubskii, V. A. D'yakov, I. A. Malevich, and Yu. I. Postoyanov 1844 227
Nanosecond-Pulse Shaper — V. I. Zhavoronkov and S. I. Zhavoronkov 1844 228
Meter for Time-Interval Series — S. S. Bolkhovitinova, I. A. Vereninov, S. S. Popov, N. V. Stepanova, and V. S. Tarasov 1845 229
AVÉD 40/800 Arc-Sorption Pumping System — L. P. Savlev, E. G. Gol'diner, Yu. I. Dolotov, S. A. Kruglov, L. I. Get'man, V. N. Lutsenko, R. I. Stupak, and M. F. Tolmachev 1846 230
Rough Exhaust Cryogenic Pump — V. P. Strel'nikov 1847 231
Coaxial Power Meter Based on Hall Effect in Semiconductors — A. N. Komov, and L. M. Smirnova 1848 232
Wide-Range Percentage Ohmmeter — V. A. Labunov, V. A. Sokol, S. V. Chukaev, and A. A. Mozhukhov 1848 232
Meter for Time Characteristics of Photosensors with Programmed Strobing of Analysis Zone.. 1849 233
Unit for Measuring Photodetector Parameters — R. D. Mukhamed'yarov, V. N. Zhukov, V. I. Stuk, O. Yu. Blinov, and G. A. Kitaev 1850 234
Semiconductor Ratemeter of Ultraviolet Radiation — Yu. A. Gol'dberg, O. V. Konstantinov, V. M. Lapkin, T. V. L' vova, Yu. F. Romanov, V. A. Sinyavin, and B. V. Tsarenkov .. 1851 235
Instrument for Examining Torsional Creep in Metal Under Accelerator Irradiation — L. N. Bystrov and A. V. Tsepelev 1853 236
Two-Component Silicon Strain-Gauge Device for Aerodynamic Tests on Thin Assemblies — L. N. Bystrov and A. V. Tsepelev 1854 237
Krion 1-2 Instrument for Low-Temperatures Measurement — R. I. Danilevich, L. I. Zarubin, and I. Yu. Nemish 1855 237
Low-Temperature Resistance Thermometers — S. P. Logvinenko, O. A. Rossoshanskii, and A. E. Potupchik 1855 238
FP and FPU Electron-Trap Photocells — P. M. Valov, K. V. Goncharenko, Yu. V. Markov, V. V. Pershin, S. M. Ryvkin, and I. D. Yaroshetskii 1856 239
Automatic Information-Processing System for a Thermophysical Experiment — V. V. Vlasov, N. A. Filin, A. V. Trofimov, and V. A. Vasil'ev 1857 240

INDEX

Author Index, Volume 19, Numbers 1-6, 1976 1861
Tables of Contents, Volume 19, Numbers 1-6, 1976 1873